

# Baldwin - DAHL Fuel Filter Series | #201\_Baldwin

[☰ View Series Page](#)



## Local Contact

### Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

### Phone

+44 (0)1926 317878

Get your Parker account Today!

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.



[Register now](#)

DAHL fuel filters efficiently remove most water and solid contaminants from diesel fuel before it reaches pumps or injectors, thus prolonging parts life and reducing unscheduled downtime

 Share / Email

## Technical Specifications

**Product Type:**

DAHL Fuel Element

**Outside Diameter:**

6 1/16 (154.0)

**Inside Diameter:**

1 15/32 (37.3) & 3 9/32 (83.3)

**Length:**

4 5/8 (117.5)

**Includes:**

A. Gasket: [1] Included; F. Gasket: 200-15A; O-Ring: [1] Attached

**Micron Rating:**

4 Nominal; 20 Absolute

**Application:**

DAHL 200 Series Fuel Filter/Water Separator Units

**Application:**

Diesel fuel particulate filtration and fuel-water separation

**Width:**

190.5 mm, 7 1/2

**Absolute Micron:**

20

**Brand:**

Hastings

**Contains:**

-

**Division:**

Engine Mobile Aftermarket

**For Fluid Type:**

Fuel

**For Use With:**

DAHL 200 Series Fuel Filter/Water Separator Units

**Height:**

22.25 inch, 565.15 mm

**Includes:**

[1] Attached A Gskt, 200-15A F Gskt, [1] Attached O-Ring:

**Inside Diameter:**

3 9/32 inch, 83.3 mm

**Length:**

4 5/8 inch, 117.5 mm

**Industry:**

Oil & Gas



**Outside Diameter:**

6 1/16 inch, 154 mm

**Perinch:**

12 w/O-Ring Boss

**Product Type:**

DAHL Fuel Element

**Substance:**

Diesel, bio-diesel blends up to B-20 and gasoline

**Technology:**

Filtration

**Thread Size:**

1 1/6

---

## Item Information

"DAHL fuel filters efficiently remove most water and solid contaminants from diesel fuel before it reaches pumps or injectors, thus prolonging parts life and reducing unscheduled downtime. DAHL's functional dual-chamber, three-stage diesel fuel filter/water separators provide efficient suction side water separation and contaminant filtration. The key is the unique DAHL-patented depressurizer cone which spreads the fuel flow. With more area to flow over, greater separation of water and dirt from the fuel is achieved. DAHL diesel fuel filter/water separators have less mechanical flow resistance than other separators because the fuel only changes direction twice. The DAHL unit removes virtually 100 percent of the water and most of the contaminants from the diesel fuel.

— Show Less

---

## CAD Drawings + Files

No CAD files available

---

