

Baldwin - Spin-on Lube Filters | #B2



Local Contact

Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

Phone

+44 (0)1926 317878

Get your Parker account Today!

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.

[Register now](#)

Baldwin spin-on lube filters protect your engine from wear particles that can otherwise lead to premature parts failure.

Technical Specifications

Product Type:

Full-Flow Lube Spin-on (Also Used as Hydraulic or Transmission)

Notes:

Can be used with OB40079 base.

Contains:

Anti-Drainback Valve; 8 PSID By-Pass Valve; Front End By-Pass Valve

Thread Size:

3/4-16

Outside Diameter:

3 11/16 (93.7)

Length:

5 13/32 (137.3)

Includes:

I. Gasket: G381-A

Related To:

B34 (Short Version)

Micron Rating:

12 Nominal; 30 Absolute

Compatible Competitor Part Number:

Allis Chalmers 7023700-0; Case A146696; Ford B7A-6714-A, C9NN-6714-A

Application:

Chrysler, Ford, Mazda, Toyota Automotive, Light-Duty Trucks; Freightliner, International, Kenworth, Mack, Volvo Trucks; Allis Chalmers, Case, Caterpillar, Ford, John Deere, New Holland Equipment

Industry:

Automotive
Heavy-duty on-highway transportation
Commercial trucks and buses
Agriculture
Construction
Industrial
Marine
Mining
Oil & Gas
Power Generation

Product Style:

Lube Filter

Technology:

Filtration

Brand:

Baldwin

Item Information

Baldwin lube filter spin-ons protect your engine from wear particles that can otherwise lead to premature parts failure.

Longer drain intervals requires filters that have both high capacity and the ability to withstand the rigors of time and temperature without failing or going into bypass. Baldwin's lube filters are up to the challenge.

— Show Less

CAD Drawings + Files

No CAD files available

