

# Baldwin - Spin-on Fuel Filters with Open End for Bowl | #BF1287-0



# **Local Contact**

# **Parker Sales Company UK**

Tachbrook Park Drive

Tachbrook Park

Warwick

**United Kingdom** 

CV34 6TU

# Phone

+44 (0)1926 317878

Get your Parker account Today!

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.



# Register now

Baldwin spin-on fuel filters with open ports for bowls keep fuel clean and engines running at maximum efficiency. These filters feature a port designed to be used with the OE bowl.

Share / Email

# **Technical Specifications**

# **Product Type:**

Fuel/Water Separator Spin-on with Open End for Bowl

#### **Contains:**

Bowl Thread: M95 x 2.5; Integral Post Seal

# **Thread Size:**

1 1/4-12

### **Outside Diameter:**

47/8 (123.8)

# Length:

9 29/32 (251.6)

#### Includes:

A. Gasket: [1] Attached; F. Gasket: [1] Included; I. Gasket: [1] Included

# **Compatible Competitor Part Number:**

Komatsu 600-311-3210, 600-319-3240

## Application:

Komatsu HD465-7, HD605-7 Dump Trucks

#### **Brand:**

Baldwin

# Industry:

Automotive

Heavy-duty on-highway transportation

Commercial trucks and buses

Agriculture

Construction

Industrial

Marine

Mining
Oil & Gas

**Power Generation** 

# **Product Style:**

**Fuel Filter** 

#### Technology:

Filtration

# Item Information



Baldwin spin-on fuel filters with open ports for bowls keep fuel clean and engines running at maximum efficiency.

These filters feature a port designed to be used with the OE bowl. New fuel systems operate at higher pressures (up to
60,000 psi) and tighter tolerances than ever before. Microscopic particles in the fuel, as small as 2-3 microns, can
cause abrasive wear severely damaging the fuel injection system and other high pressure engine components. Baldwin
Filters offers more than 1100 different fuel filters, fuel managers, coalescers, and fuel/water separators to protect your
engine.

Show Less

# **CAD Drawings + Files**

No CAD files available

