

Baldwin - Spin-on Fuel Filters | #BF1329-SP

I <u>View Series Page</u>



Local Contact

Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park


Warwick

United Kingdom

CV34 6TU

Phone

+44 (0)1926 317878



Modern fuel injection systems require fuel be free of both particulate and water contamination. Baldwin spin-on fuel

filters keep fuel clean and engines running at maximum efficiency.

✦ Share / Email

Technical Specifications

Product Type:

Fuel/Water Separator Spin-on with Drain and Sensor Port

Notes:

May use OP8750 to plug Sensor Port.

Contains:

Integral Post Seal; Sensor Port Thread: 9/16-18

Thread Size:

1-14

Outside Diameter: 4 9/32 (108.7)

Length: 8 1/8 (206.4)

Includes: I. Gasket: [1] Included; O-Ring: [1] Included

Related To:

BF1329 (Drain Version);BF1339-SP (SP Thd. 1/2-20);BF46072 (Bowl Version);BF46083-O (Open Port Version)

Micron Rating: 9 Nominal; 40 Absolute

Compatible Competitor Part Number: Racor R90P; GMC 23514654; John Deere RE500186

Application:

Racor 690R Series Assemblies; Scania, Volvo Trucks

Brand:

Baldwin

Industry:

Automotive Heavy-duty on-highway transportation Commercial trucks and buses Agriculture Construction Industrial Marine Mining Oil & Gas Power Generation

Product Style:

Fuel Filter

Technology: Filtration "Modern fuel injection systems require fuel be free of both particulate and water contamination. Baldwin spin-on fuel filters with heavy-duty construction keep fuel clean and engines running at maximum efficiency. New fuel systems operate at higher pressures (up to 60,000 psi) and tighter tolerances than ever before. Microscopic particles in the fuel, as small as 2-3 microns, can cause abrasive wear severely damaging the fuel injection system and other high pressure engine components. Baldwin Filters offers more than 1100 different fuel filters, fuel managers, coalescers, and fuel/water separators to protect your engine.

Show Less

CAD Drawings + Files

No CAD files available