

## Baldwin - Spin-on Fuel Filters | #BF1380



### Local Contact

#### Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

#### Phone

+44 (0)1926 317878

Get your Parker account Today!

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.

[Register now](#)



filters keep fuel clean and engines running at maximum efficiency.

 Share / Email

## Technical Specifications

**Product Type:**  
Fuel/Water Separator Spin-on with Drain and Sensor Port

**Notes:**  
Inside-Out Flow Direction

**Contains:**  
Integral Post Seal; Sensor Port Thread: 1/2-20

**Thread Size:**  
M18 x 1.5

**Outside Diameter:**  
3 1/32 (77.0)

**Length:**  
4 19/32 (116.7)

**Includes:**  
I. Gasket: [1] Included

**Related To:**  
BF1380-O (Open Port Version)

**Compatible Competitor Part Number:**  
Racor R12T; Fleetguard FS19802

**Application:**  
Ampac P33/24 Compactor; Powerpac APUC, APUK, Power Tech Auxilliary Power Units; Toro Reelmaster Mowers

**Brand:**  
Baldwin

**Industry:**  
Automotive  
Heavy-duty on-highway transportation  
Commercial trucks and buses  
Agriculture  
Construction  
Industrial  
Marine  
Mining  
Oil & Gas  
Power Generation

**Product Style:**  
Fuel Filter

**Technology:**  
Filtration

## Item Information

"Modern fuel injection systems require fuel be free of both particulate and water contamination. Baldwin spin-on fuel filters with heavy-duty construction keep fuel clean and engines running at maximum efficiency. New fuel systems



operate at higher pressures (up to 60,000 psi) and tighter tolerances than ever before. Microscopic particles in the fuel, as small as 2-3 microns, can cause abrasive wear severely damaging the fuel injection system and other high pressure engine components. Baldwin Filters offers more than 1100 different fuel filters, fuel managers, coalescers, and fuel/water separators to protect your engine.

— Show Less

---

## CAD Drawings + Files

No CAD files available

---

