

Baldwin - Spin-on Fuel Filters | #BF46127



Local Contact

Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

Phone

+44 (0)1926 317878

Get your Parker account Today!

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.

Register now

Modern fuel injection systems require fuel be free of both particulate and water contamination. Baldwin spin-on fuel

C11	1	£1	_1	اء ء، ۔	:	:			- cc :	
Tilters	кеер	tuei	ciean	ana	engines	running	aτ	maximum	eπiciency	١.

♦ Share / Email

Technical Specifications

Product Type:

Fuel Spin-on

Thread Size:

M18 x 1.5

Outside Diameter:

3 25/32 (96.0)

Length:

5 13/16 (147.6)

Micron Rating:

4 Absolute

Compatible Competitor Part Number:

Bomag 08820969, 8820969; Caterpillar 4406212; Deutz 214228, 4131531, 4131532, 4132775, 4132776; Genie 214228; JLG Industries 70025161; Wirtgen 2319002

Application:

Bomag Paving Equipment; Kramer Loaders, Telehandlers; JLG Industries Equipment with Deutz Engines

Brand:

Baldwin

Division:

Engine Mobile Aftermarket

Industry:

Automotive

Heavy-duty on-highway transportation

Commercial trucks and buses

Agriculture

Construction

Industrial

Marine

Mining

Oil & Gas

Power Generation

Technology:

Filtration

Product Style:

Fuel Filter

Item Information

"Modern fuel injection systems require fuel be free of both particulate and water contamination. Baldwin spin-on fuel filters with heavy-duty construction keep fuel clean and engines running at maximum efficiency. New fuel systems operate at higher pressures (up to 60,000 psi) and tighter tolerances than ever before. Microscopic particles in the fuel, as small as 2-3 microns, can cause abrasive wear severely damaging the fuel injection system and other high pressure engine components. Baldwin Filters offers more than 1100 different fuel filters, fuel managers, coalescers, and fuel/water separators to protect your engine.

Show Less		
CAD Drawings + Files		
No CAD files available		