

# Baldwin - Spin-on Fuel Filters | #BF7546

I <u>View Series Page</u>



## Local Contact

Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park


Warwick

United Kingdom

CV34 6TU

#### Phone

+44 (0)1926 317878



Modern fuel injection systems require fuel be free of both particulate and water contamination. Baldwin spin-on fuel

filters keep fuel clean and engines running at maximum efficiency.

✦ Share / Email

# **Technical Specifications**

#### **Product Type:**

Fuel/Water Separator Spin-on with Drain

#### Notes:

CAUTION: Furnished D-Ring must be installed on threaded bushing before installing filter on D60E-7, D65E-7 and D75S-3 machines with NH220 or NT855 engines.; Do NOT use on other Komatsu engines.; Can be used with FB46185 base.

Contains: Integral Post Seal

Thread Size: 1-14

**Outside Diameter:** 3 11/16 (93.7)

Length: 6 31/32 (177.0)

Includes: F. Gasket: ES24-D; I. Gasket: G401

Micron Rating: 3 Nominal; 9 Absolute

**Compatible Competitor Part Number:** Hitachi 4192631; Komatsu 600-311-8292

Application: Hitachi, Komatsu Equipment

Brand:

Baldwin

#### Industry:

Automotive Heavy-duty on-highway transportation Commercial trucks and buses Agriculture Construction Industrial Marine Mining Oil & Gas Power Generation

Product Style:

Fuel Filter

Technology: Filtration

**Item Information** 

"Modern fuel injection systems require fuel be free of both particulate and water contamination. Baldwin spin-on fuel filters with heavy-duty construction keep fuel clean and engines running at maximum efficiency. New fuel systems operate at higher pressures (up to 60,000 psi) and tighter tolerances than ever before. Microscopic particles in the fuel, as small as 2-3 microns, can cause abrasive wear severely damaging the fuel injection system and other high pressure engine components. Baldwin Filters offers more than 1100 different fuel filters, fuel managers, coalescers, and fuel/water separators to protect your engine.

- Show Less

## **CAD Drawings + Files**

No CAD files available