

Baldwin - Low Pressure Hydraulic Spin-on Filters | #BT387-10

[View Series Page](#)



Local Contact

Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

Phone

+44 (0)1926 317878

Get your Parker account Today!

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.



[Register now](#)

Baldwin hydraulic filters offer superior protection for your engine-powered equipment.

[Share / Email](#)

Technical Specifications

Product Type:

Hydraulic Spin-on

Notes:

Can be used with OB1313, OB1314, OB1315, OB1316 bases.

Thread Size:

1 1/2-16

Outside Diameter:

5 1/32 (127.8)

Length:

7 (177.8)

Includes:

F. Gasket: G286-C; O. Gasket: G369-B, G369-V, G372, G447, G483, G704, G710

Related To:

BT388, BT388-10 (Long Versions)

Micron Rating:

9.8 Nominal; 27 Absolute

Compatible Competitor Part Number:

Cross 1A9251; Gresen 7521001

Application:

Gresen Hydraulic Systems; Sellick, Toro Equipment

Brand:

Baldwin

Industry:

Marine
Mining
Oil and gas
Construction
Agriculture
Compressor


Product Style:

Hydraulic Filter

Technology:

Filtration

Item Information

"Baldwin hydraulic filters offer superior protection for your engine-powered equipment. Improving system fluid cleanliness levels, providing better cold start performance and meeting service interval expectations are the primary objectives in the design of Baldwin hydraulic filters. Baldwin hydraulic filters utilize cellulose, synthetic and blended 

media to meet these performance specifications. A full range of filters is available to accommodate low, medium and high pressure applications

— Show Less

CAD Drawings + Files

No CAD files available

