

# Baldwin - Low Pressure Hydraulic Spin-on Filters | #BT839-10

[☰ View Series Page](#)



## Local Contact

### Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

### Phone

+44 (0)1926 317878

**Get your Parker account Today!**

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.

[Register now](#)

Baldwin hydraulic filters offer superior protection for your engine-powered equipment.

[Share / Email](#)

## Technical Specifications

**Product Type:**

Hydraulic Spin-on

**Notes:**

Can be used with OB1317, OB1318, OB1319, OB1320 bases.

**Thread Size:**

1-12

**Outside Diameter:**

3 11/16 (93.7)

**Length:**

5 13/32 (137.3)

**Includes:**

I. Gasket: G401

**Related To:**

BT452 (with By-Pass Valve);BT8420 (Stainless Steel Mesh Version);BT8428-MPG (Maximum Performance Glass Version)

**Micron Rating:**

12 Nominal; 30 Absolute

**Compatible Competitor Part Number:**

Cross 1A9023; Gresen 8057000; Michigan Fluid Power 201026

**Application:**

Bobcat, Ford, Toro, Vermeer, Versatile Equipment; Cross, Gresen, Michigan Fluid Power Hydraulic Systems

**Brand:**

Baldwin

**Industry:**

Marine  
Mining  
Oil and gas  
Construction  
Agriculture  
Compressor

**Product Style:**

Hydraulic Filter

**Technology:**

Filtration

## Item Information

"Baldwin hydraulic filters offer superior protection for your engine-powered equipment. Improving system fluid cleanliness levels, providing better cold start performance and meeting service interval expectations are the primary

objectives in the design of Baldwin hydraulic filters. Baldwin hydraulic filters utilize cellulose, synthetic and blended media to meet these performance specifications. A full range of filters is available to accommodate low, medium and high pressure applications

— Show Less

---

## CAD Drawings + Files

No CAD files available

---

---