


Baldwin - Low Pressure Hydraulic Spin-on Filters | #BT839

 [View Series Page](#)



Local Contact

Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

Phone


+44 (0)1926 317878

Get your Parker account Today!

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.

[Register now](#)

Baldwin hydraulic filters offer superior protection for your engine-powered equipment.

 Share / Email

Technical Specifications

Product Type:

Hydraulic Spin-on

Notes:

Can be used with OB1317, OB1318, OB1319, OB1320 bases.

Thread Size:

1-12

Outside Diameter:

3 11/16 (93.7)

Length:

5 13/32 (137.3)

Includes:

I. Gasket: G401

Related To:

BT452 (with By-Pass Valve);BT8420 (Stainless Steel Mesh Version);BT8428-MPG (Maximum Performance Glass Version)

Micron Rating:

18 Nominal; 40 Absolute

Compatible Competitor Part Number:

Cross 1A9023; Gresen 8057000; Michigan Fluid Power 201026

Application:

Bobcat, Ford, Toro, Vermeer, Versatile Equipment; Cross, Gresen, Michigan Fluid Power Hydraulic Systems

Brand:

Baldwin

Industry:

Marine
Mining
Oil and gas
Construction
Agriculture
Compressor

Product Style:

Hydraulic Filter

Technology:

Filtration

Item Information

"Baldwin hydraulic filters offer superior protection for your engine-powered equipment. Improving system fluid cleanliness levels, providing better cold start performance and meeting service interval expectations are the primary objectives in the design of Baldwin hydraulic filters. Baldwin hydraulic filters utilize cellulose, synthetic and blended media to meet these performance specifications. A full range of filters is available to accommodate low, medium and

high pressure applications

— Show Less

CAD Drawings + Files

No CAD files available