

# Baldwin - Low Pressure Hydraulic Spin-on Filters | #BT8421-MPG

[☰ View Series Page](#)



## Local Contact

### Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

### Phone

+44 (0)1926 317878

**Get your Parker account Today!**

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.

[Register now](#)

Baldwin hydraulic filters offer superior protection for your engine-powered equipment.

[Share / Email](#)

## Technical Specifications

**Product Type:**

Maximum Performance Glass Hydraulic Spin-on

**Notes:**

Can be used with OB1314 and OB1316 bases (requires optional G286-C gasket).

**Thread Size:**

1 1/2-16

**Outside Diameter:**

5 1/16 (128.6)

**Length:**

6 31/32 (177.0)

**Includes:**

F. Gasket: G369-B; O. Gasket: G286-C, G369-V, G372, G447, G483, G704, G710

**Related To:**

BT8307-MPG (Micron Difference)

**Micron Rating:**

5 Absolute

**Compatible Competitor Part Number:**

Hycon MFE16003BN2; Ingersoll-Rand 59700674; Pall HC7500SDP4H; Donaldson P169430

**Application:**

Donaldson HBK05 Assembly

**Brand:**

Baldwin

**Industry:**

Marine  
Mining  
Oil and gas  
Construction  
Agriculture  
Compressor

**Product Style:**

Hydraulic Filter

**Technology:**

Filtration

## Item Information

"Baldwin hydraulic filters offer superior protection for your engine-powered equipment. Improving system fluid cleanliness levels, providing better cold start performance and meeting service interval expectations are the primary objectives in the design of Baldwin hydraulic filters. Baldwin hydraulic filters utilize cellulose, synthetic and blended

media to meet these performance specifications. A full range of filters is available to accommodate low, medium and high pressure applications

— Show Less

---

## CAD Drawings + Files

No CAD files available

---