

Baldwin - Low Pressure Hydraulic Spin-on Filters | #BT8422-MPG

[☰ View Series Page](#)



Local Contact

Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

Phone

+44 (0)1926 317878

Get your Parker account Today!

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.

[Register now](#)

Baldwin hydraulic filters offer superior protection for your engine-powered equipment.

[Share / Email](#)

Technical Specifications

Product Type:

High Efficiency Maximum Performance Glass Hydraulic Spin-on

Notes:

Can be used with OB1314 and OB1316 bases (requires optional G286-C gasket).

Thread Size:

1 1/2-16

Outside Diameter:

5 1/16 (128.6)

Length:

10 3/4 (273.1)

Includes:

F. Gasket: G369-B; O. Gasket: G286-C, G369-V, G372, G447, G483, G704, G710

Related To:

BT8308-MPG (Standard Version)

Micron Rating:

5 Absolute

Compatible Competitor Part Number:

Hycon MFE160103BN2; Pall HC7500SUP8H; Donaldson P167832

Application:

Donaldson HBK05 Assembly

Brand:

Baldwin

Industry:

Marine
Mining
Oil and gas
Construction
Agriculture
Compressor

Product Style:

Hydraulic Filter

Technology:

Filtration

Item Information

"Baldwin hydraulic filters offer superior protection for your engine-powered equipment. Improving system fluid cleanliness levels, providing better cold start performance and meeting service interval expectations are the primary objectives in the design of Baldwin hydraulic filters. Baldwin hydraulic filters utilize cellulose, synthetic and blended

media to meet these performance specifications. A full range of filters is available to accommodate low, medium and high pressure applications

— Show Less

CAD Drawings + Files

No CAD files available
