

Baldwin - Medium Pressure Hydraulic Spin-on Filters | #BT8851-MPG

[☰ View Series Page](#)



Local Contact

Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

Phone

+44 (0)1926 317878

Get your Parker account Today!

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.



[Register now](#)

Baldwin hydraulic filters offer superior protection for your engine-powered equipment.

[Share / Email](#)

Technical Specifications

Product Type:

Maximum Performance Glass Hydraulic Spin-on

Notes:

Rated 1000 PSI minimum burst.; NOT interchangeable with BT8850-MPG.

Thread Size:

1 3/8-12

Outside Diameter:

3 3/4 (95.3)

Length:

9 19/32 (243.7)

For Use With:

OB8711, OB8712, OB8720, OB8721, OB8722, OB8724, OB8731, OB8732, OB8741, OB8742, OB8743, OB8744, OB8745, OB8746 filter bases.

Includes:

I. Gasket: [1] Included

Micron Rating:

8 Absolute

Compatible Competitor Part Number:

Agco 303506819; Caterpillar 1G8878; Cedarapids 451750014101; John Deere RE47313; New Holland 89821387; Vermeer 73113001; V.M.E. 110366077

Application:

Agco, Caterpillar, Cedarapids, Ford, Gehl, John Deere, New Holland, Vermeer, V.M.E., Volvo Equipment

Brand:

Baldwin

Industry:

Marine
Mining
Oil and gas
Construction
Agriculture
Compressor

Product Style:

Hydraulic Filter

Technology:

Filtration

Item Information



"Baldwin hydraulic filters offer superior protection for your engine-powered equipment. Improving system fluid

cleanliness levels, providing better cold start performance and meeting service interval expectations are the primary objectives in the design of Baldwin hydraulic filters. Baldwin hydraulic filters utilize cellulose, synthetic and blended media to meet these performance specifications. A full range of filters is available to accommodate low, medium and high pressure applications

— Show Less

CAD Drawings + Files

No CAD files available

