

# Baldwin - Medium Pressure Hydraulic Spin-on Filters | #BT9370-MPG

[☰ View Series Page](#)



## Local Contact

### Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

### Phone

+44 (0)1926 317878

**Get your Parker account Today!**

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.

[Register now](#)

Baldwin hydraulic filters offer superior protection for your engine-powered equipment.

[Share / Email](#)

## Technical Specifications

**Product Type:**

Maximum Performance Glass Hydraulic Spin-on

**Notes:**

Rated 1000 PSI minimum burst.; Dome end accepts 1/2 In. socket driver.

**Thread Size:**

1 3/8-12

**Outside Diameter:**

3 3/4 (95.3)

**Length:**

9 27/32 (250.0)

**For Use With:**

OB8711, OB8712, OB8720, OB8721, OB8722, OB8724, OB8726, OB8731, OB8732, OB8740, OB8741, OB8742, OB8743, OB8744, OB8745, OB8746 filter bases.

**Includes:**

I. Gasket: [1] Included

**Micron Rating:**

8 Absolute

**Compatible Competitor Part Number:**

John Deere RE205726

**Application:**

John Deere Mowers, Tractors

**Brand:**

Baldwin

**Industry:**

Marine  
Mining  
Oil and gas  
Construction  
Agriculture  
Compressor

**Product Style:**

Hydraulic Filter

**Technology:**

Filtration

## Item Information

"Baldwin hydraulic filters offer superior protection for your engine-powered equipment. Improving system fluid cleanliness levels, providing better cold start performance and meeting service interval expectations are the primary

objectives in the design of Baldwin hydraulic filters. Baldwin hydraulic filters utilize cellulose, synthetic and blended media to meet these performance specifications. A full range of filters is available to accommodate low, medium and high pressure applications

— Show Less

---

## CAD Drawings + Files

No CAD files available

---

---