

# Baldwin - Lube Oil Filter Elements | #P20-HD



## Local Contact

### Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

### Phone

+44 (0)1926 317878

Get your Parker account Today!

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.

[Register now](#)



## Technical Specifications

**Product Type:**

Full-Flow Lube Element

**Notes:**

To convert to spin-on, use OB1303 base and B95 filter.; For copper bolt seal, use ES1071.

**Outside Diameter:**

4 7/16 (112.7)

**Inside Diameter:**

1 1/2 (38.1)

**Length:**

9 1/16 (230.2)

**Includes:**

F. Gasket: ES1032, G115-MSB, G143A; O. Gasket: G143, G280, G336, G340; End Seals: [2] Attached

**Related To:**

PT159, PT159-E (Transmission Versions)

**Micron Rating:**

23 Nominal; 45 Absolute

**Compatible Competitor Part Number:**

GMC 5573013, 25013194

**Application:**

Allis Chalmers, Case, Clark, Euclid, Gardner Denver, Gradall, Terex Equipment; Detroit Diesel Engines; IHC, Iveco, Kenworth, Mack Trucks

**Brand:**

Baldwin

**Industry:**

Automotive  
Heavy-duty on-highway transportation  
Commercial trucks and buses  
Agriculture  
Construction  
Industrial  
Marine  
Mining  
Oil & Gas  
Power Generation

**Product Style:**

Lube Filter

**Technology:**

Filtration

## Item Information

Baldwin lube filter elements protect your engine from wear particles that can otherwise lead to premature parts failure. Longer drain intervals requires filters that have both high capacity and the ability to withstand the rigors of time and temperature without failing or going into bypass. Baldwin's lube filters are up to the challenge.

— Show Less

---

## CAD Drawings + Files

No CAD files available

---

