

# Baldwin - Extreme Performance Axial Seal Air Filter Elements | #PA1894XP\_Baldwin

[☰ View Series Page](#)



---

## Local Contact

### **Parker Sales Company UK**

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

### **Phone**

+44 (0)1926 317878

**Get your Parker account Today!**

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.

[Register now](#)

Baldwin's Extreme Performance air filters offer significant benefits over conventional cellulose-only media, including higher initial efficiency and greater capacity for extended filter replacement intervals.

[Share / Email](#)

## Technical Specifications

**Product Type:**

Extreme Performance Nano Outer Air Element

**Outside Diameter:**

13 13/16 (350.8)

**Inside Diameter:**

15/16 (23.8) & 9 1/2 (241.3)

**Length:**

18 1/2 (469.9)

**For Use With:**

PA1905

**Includes:**

A. Gasket: [1] Attached; F. Gasket: [1] Included

**Related To:**

LL1894 (Long-Life Media Version);PA1894 (Standard Media Version);PA2749 (with Boot and Bail Handle)

**Compatible Competitor Part Number:**

Caterpillar 8L5897; Euclid 9035866; Gardner Denver 166392; Terex 9035992

**Application:**

Caterpillar, Dresser, Euclid, Ingersoll-Rand, Kawasaki, Michigan, Steiger, Terex, Volvo, Wabco Equipment

**Brand:**

Baldwin

**Division:**

Engine Mobile Aftermarket

**Industry:**

Mining

## Item Information

"Ideally suited to demanding high dust environments, Baldwin's Extreme Performance air filters offer fleet operators significant benefits over conventional cellulose-only media, including higher initial efficiency and greater capacity for extended filter replacement intervals. Baldwin's Extreme Performance air filters utilize nanofiber technology. Nanofiber, which is bonded to cellulose media, provides unequalled performance, particularly with submicron contaminants.

— Show Less

# CAD Drawings + Files

No CAD files available

---