

# Baldwin - Extreme Performance Axial Seal Air Filter Elements | #PA2453XP\_Baldwin

[☰ View Series Page](#)



## Local Contact

### Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

### Phone

+44 (0)1926 317878

Get your Parker account Today!

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.



[Register now](#)

Baldwin's Extreme Performance air filters offer significant benefits over conventional cellulose-only media, including higher initial efficiency and greater capacity for extended filter replacement intervals.

 Share / Email

## Technical Specifications

**Product Type:**

Extreme Performance Nano Outer Air Element with Bail Handle

**Outside Diameter:**

17 5/8 (447.7) Boot 18 5/16 (465.1)

**Inside Diameter:**

15/16 (23.8) & 12 1/8 (308.0)

**Length:**

23 17/32 (597.7)

**For Use With:**

PA2364, PA2454

**Includes:**

A. Gasket: [2] Attached; F. Gasket: [1] Included

**Related To:**

LL2453 (Long-Life Media Version); PA2453 (Standard Media Version)

**Compatible Competitor Part Number:**

Caterpillar 1W3637; Driltech 103653; Euclid 9038350; Komatsu 581-021-2120; WABCO VJ5175

**Application:**

Case, Caterpillar, Driltech, KW-Dart, Terex, WABCO Equipment; Euclid, Komatsu Trucks

**Brand:**

Baldwin

**Division:**

Engine Mobile Aftermarket

**Industry:**

Mining

## Item Information

"Ideally suited to demanding high dust environments, Baldwin's Extreme Performance air filters offer fleet operators significant benefits over conventional cellulose-only media, including higher initial efficiency and greater capacity for extended filter replacement intervals. Baldwin's Extreme Performance air filters utilize nanofiber technology. Nanofiber, which is bonded to cellulose media, provides unequalled performance, particularly with submicron contaminants.

— Show Less



# CAD Drawings + Files

No CAD files available

---

