

Baldwin - Diesel Fuel Filter Elements | #PF7744_Baldwin

[☰ View Series Page](#)



Local Contact

Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

Phone

+44 (0)1926 317878

Get your Parker account Today!

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.

[Register now](#)

Modern fuel injection systems require fuel be free of both particulate and water contamination. Baldwin fuel filters keep fuel clean and engines running at maximum efficiency.

[Share / Email](#)

Technical Specifications

Product Type:

Fuel/Water Separator Element

Outside Diameter:

3 3/4 (95.3)

Inside Diameter:

21/32 (16.7) One End

Length:

6 29/32 (175.4)

Includes:

O. Gasket: G717; End Seals: ES3012; Grommets: [1] Attached; O-Ring: G445

Micron Rating:

4 Nominal; 20 Absolute

Compatible Competitor Part Number:

Caterpillar 4176217; Detroit Diesel 23521528; General Motors 23521528; Fleetguard FF5369, FF5369W

Application:

Freightliner, International, Kenworth, Peterbilt, Sterling, Volvo Trucks

Brand:

Baldwin

Division:

Engine Mobile Aftermarket

Industry:

Agriculture, Automotive, Commercial trucks and buses, Construction, Heavy-duty on-highway transportation, Industrial, Locomotive, Marine, Mining, Oil & Gas, Power Generation

Technology:

Filtration

Item Information

"Modern fuel injection systems require fuel be free of both particulate and water contamination. Baldwin fuel filters keep fuel clean and engines running at maximum efficiency. New fuel systems operate at higher pressures (up to 60,000 psi) and tighter tolerances than ever before. Microscopic particles in the fuel, as small as 2-3 microns, can cause abrasive wear severely damaging the fuel injection system and other high pressure engine components. Baldwin Filters offers more than 1100 different fuel filters, fuel managers, coalescers, and fuel/water separators to protect your engine

[— Show Less](#)

CAD Drawings + Files

No CAD files available
