

# Baldwin - Diesel Fuel Filter Elements | #PF7984\_Baldwin



## **Local Contact**

## **Parker Sales Company UK**

Tachbrook Park Drive

Tachbrook Park

Warwick

**United Kingdom** 

**CV34 6TU** 

#### Phone

+44 (0)1926 317878

# Get your Parker account Today!

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.

Register now

Modern fuel injection systems require fuel be free of both particulate and water contamination. Baldwin fuel filters keep fuel clean and engines running at maximum efficiency.

Share / Email

# **Technical Specifications**

### **Product Type:**

**Fuel Element** 

#### **Outside Diameter:**

3 23/32 (94.5)

#### **Inside Diameter:**

1 1/32 (26.2) One End

#### Length:

7 15/16 (201.6)

#### Includes:

PF7982, PF7983, PF9803 (Short Versions)

#### Related To:

PF7982, PF7983, PF9803 (Short Versions)

#### **Micron Rating:**

5 Absolute

#### **Compatible Competitor Part Number:**

Hitachi 4679981; Isuzu 8-98074-288-0; S-F Filter SK3022

#### **Application:**

John Deere Excavators

### **Brand:**

Baldwin

#### **Division:**

**Engine Mobile Aftermarket** 

#### Industry:

Agriculture, Automotive, Commercial trucks and buses, Construction, Heavy-duty on-highway transportation, Industrial, Locomotive, Marine, Mining, Oil & Gas, Power Generation

#### **Technology:**

Filtration

## Item Information

"Modern fuel injection systems require fuel be free of both particulate and water contamination. Baldwin fuel filters keep fuel clean and engines running at maximum efficiency. New fuel systems operate at higher pressures (up to 60,000 psi) and tighter tolerances than ever before. Microscopic particles in the fuel, as small as 2-3 microns, can cause abrasive wear severely damaging the fuel injection system and other high pressure engine components. Baldwin Filters offers more than 1100 different fuel filters, fuel managers, coalescers, and fuel/water separators to protect your engine

# CAD Drawings + Files

No CAD files available