

# Baldwin - Lube Oil Filter Elements | #PT88-HD



## Local Contact

### Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick

United Kingdom

CV34 6TU

### Phone

+44 (0)1926 317878

Get your Parker account Today!

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.

[Register now](#)

Baldwin lube filter elements protect your engine from wear particles that can otherwise lead to premature parts failure.

## Technical Specifications

**Product Type:**

Full-Flow Lube or Hydraulic Element

**Notes:**

Use ES4008 for stacked elements.; Can be used independently or with PT66-HD as inner lube.

**Outside Diameter:**

3 3/8 (85.7)

**Inside Diameter:**

5 1/8 (130.2)

**Length:**

8 15/16 (227.0)

**Includes:**

F. Gasket: G196-B; O. Gasket: ES4008, G303, G304, G306, G354

**Micron Rating:**

23 Nominal; 45 Absolute

**Compatible Competitor Part Number:**

Caterpillar 5S485, 5S0485

**Application:**

Caterpillar, Clark, Hyster, Komatsu, LeRoi Equipment

**Brand:**

Baldwin

**Industry:**

Automotive  
Heavy-duty on-highway transportation  
Commercial trucks and buses  
Agriculture  
Construction  
Industrial  
Marine  
Mining  
Oil & Gas  
Power Generation

**Product Style:**

Lube Filter

**Technology:**

Filtration

---

## Item Information

Baldwin lube filter elements protect your engine from wear particles that can otherwise lead to premature parts failure. Longer drain intervals requires filters that have both high capacity and the ability to withstand the rigors of time and temperature without failing or going into bypass. Baldwin's lube filters are up to the challenge.

---

# CAD Drawings + Files

No CAD files available

---

---