

(<https://www.cumminsfiltration.com/>)

~~(<https://www.cumminsfiltration.com/>)~~

Part Information

[Back \(CatalogSearch.do?&criteria=part\)](#)



FS19857

Fuel/Water Sep Spin-On

Add To Worksheet

Note: All parts are not available in all regions of the world. Contact your [Customer Assistance Center](#) (<https://www.cumminsfiltration.com/customerassistance>) to ensure availability.

Export As...

Attributes	
Overall Height	154.5 mm (6.083 inch)
Largest OD	84 mm (3.307 inch)
Largest End ID	15.5 mm (.61 inch)
Gasket Inside Diameter	17 mm (.669 inch)
Flow Direction	Inside Out
BPV Setting	No
Primary Applications	
JOHN DEERE	RE62424 (/catalog/CatalogSearch.do?partNumber_PartDeatils=RE62424) All Applications (/catalog/CatalogSearch.do?partNumber_PartDeatils=FS19857)
Product Comments	
<ul style="list-style-type: none">Use FS19577 for the North America Market. Drain valve cannot be removed to fit OEM's glass bowl.	



◆ 2022 Cummins Filtration

[PRIVACY POLICY \(HTTPS://WWW.CUMMINSFILTRATION.COM/PRIVACY\)](https://www.cumminsfiltration.com/privacy) | [TERMS AND CONDITIONS](https://www.cumminsfiltration.com/terms-and-conditions)

[\(HTTPS://WWW.CUMMINSFILTRATION.COM/TERMS-AND-CONDITIONS\)](https://www.cumminsfiltration.com/terms-and-conditions) | [COOKIES](https://www.cumminsfiltration.com/cookies)

[\(HTTPS://WWW.CUMMINSFILTRATION.COM/COOKIES\)](https://www.cumminsfiltration.com/cookies) | [SITE MAP \(HTTPS://WWW.CUMMINSFILTRATION.COM/SITEMAP\)](https://www.cumminsfiltration.com/sitemap)