

(<https://www.cumminsfiltration.com/>)

~~(<https://www.cumminsfiltration.com/>)~~

---

# Part Information

[Back \(CatalogSearch.do?&criteria=part\)](#)



## FS19860

Fuel/Water Sep Spin-On

[Add To Worksheet](#)

Note: All parts are not available in all regions of the world. Contact your [Customer Assistance Center](#) (<https://www.cumminsfiltration.com/customerassistance>) to ensure availability.

Export As...

Attributes	
Overall Height	135 mm (5.315 inch)
Largest OD	84 mm (3.307 inch)
Largest End ID	13 mm (.512 inch)
Gasket Inside Diameter	17 mm (.669 inch)
Flow Direction	Outside In
BPV Setting	No
Primary Applications	
CATERPILLAR <a href="#">1561200</a>	<a href="#">All Applications</a>
<a href="#">(/catalog/CatalogSearch.do?partNumber_PartDeatils=1561200)</a> <a href="#">(/catalog/CatalogSearch.do?partNumber_PartDeatils=FS19860)</a>	
Product Comments	
<ul style="list-style-type: none"><li>• Use the FS19621 for the North American Market. Drain valve cannot be removed to fit OEM's glass bowl.</li></ul>	



◆ 2022 Cummins Filtration

[PRIVACY POLICY \(HTTPS://WWW.CUMMINSFILTRATION.COM/PRIVACY\)](https://www.cumminsfiltration.com/privacy) | [TERMS AND CONDITIONS](https://www.cumminsfiltration.com/terms-and-conditions)

[\(HTTPS://WWW.CUMMINSFILTRATION.COM/TERMS-AND-CONDITIONS\)](https://www.cumminsfiltration.com/terms-and-conditions) | [COOKIES](https://www.cumminsfiltration.com/cookies)

[\(HTTPS://WWW.CUMMINSFILTRATION.COM/COOKIES\)](https://www.cumminsfiltration.com/cookies) | [SITE MAP \(HTTPS://WWW.CUMMINSFILTRATION.COM/SITEMAP\)](https://www.cumminsfiltration.com/sitemap)