

(HTTPS://WWW.CUMMINSFILTRATION.COM/EME/ORDER) | |

(<https://www.cumminsfiltration.com/eme>)

---

(<https://www.cumminsfiltration.com/eme>)

# Part Information

[Back \(CatalogSearch.do?&criteria=part\)](#)

---



# HF28859

Hydraulic

Add To Worksheet

Note: All parts are not available in all regions of the world. Contact your [Customer Assistance Center](https://www.cumminsfiltration.com/eme/customerassistance) (<https://www.cumminsfiltration.com/eme/customerassistance>) to ensure availability.

Export As...

Attributes	
<b>Overall Height</b>	<b>142.5 mm (5.61 in)</b>
<b>Largest OD</b>	<b>93.5 mm (3.681 in)</b>
<b>Seam OD</b>	<b>93.5 mm (3.681 in)</b>
<b>Gasket OD</b>	<b>70 mm (2.756 in)</b>
<b>GASKET INSIDE DIAMETER</b>	<b>62 mm (2.441 in)</b>
<b>Thread Size</b>	<b>3/4-16 UNF-2B</b>
<b>StandpipeNO</b>	
<b>BPV Setting</b>	<b>250 kPa (36.26 PSI)</b>
<b>TWA MICRON @ BETA=2</b>	<b>33 micron (33 micron)</b>
<b>TWA MICRON @ BETA=20</b>	<b>55 micron (55 micron)</b>
<b>TWA MICRON @ BETA=75</b>	<b>65 micron (65 micron)</b>
Primary Applications	
KHD(KLOCKNER HUMBOLDT DEUTZ)	<a href="https://catalog/CatalogSearch.do?partNumber_PartDeatils=4411051">4411051 (/catalog/CatalogSearch.do?partNumber_PartDeatils=4411051)</a>
	<a href="https://catalog/CatalogSearch.do?partNumber_PartDeatils=HF28859">All Applications (/catalog/CatalogSearch.do?partNumber_PartDeatils=HF28859)</a>



◆ 2022 Cummins Filtration

[PRIVACY POLICY \(HTTPS://WWW.CUMMINSFILTRATION.COM/EME/PRIVACY\)](https://www.cumminsfiltration.com/eme/privacy) | [TERMS AND CONDITIONS \(HTTPS://WWW.CUMMINSFILTRATION.COM/EME/TERMS-AND-CONDITIONS\)](https://www.cumminsfiltration.com/eme/terms-and-conditions) | [COOKIES \(HTTPS://WWW.CUMMINSFILTRATION.COM/EME/COOKIES\)](https://www.cumminsfiltration.com/eme/cookies) | [SITE MAP \(HTTPS://WWW.CUMMINSFILTRATION.COM/EME/SITEMAP\)](#)