

(<https://www.cumminsfiltration.com/>)

~~(<https://www.cumminsfiltration.com/>)~~

---

---

# Part Information

[Back \(CatalogSearch.do?&criteria=part\)](#)

---



# HF7916

## Hydraulic, Spin-On

Add To Worksheet

Note: All parts are not available in all regions of the world. Contact your [Customer Assistance Center](https://www.cumminsfiltration.com/customerassistance) (<https://www.cumminsfiltration.com/customerassistance>) to ensure availability.

Export As...

<b>Attributes</b>	
<b>Overall Height</b>	<b>210.5 mm (8.287 in)</b>
<b>Largest OD</b>	<b>93.5 mm (3.681 in)</b>
<b>Seam OD</b>	<b>93.5 mm (3.681 in)</b>
<b>Gasket OD</b>	<b>70 mm (2.756 in)</b>
<b>GASKET INSIDE DIAMETER</b>	<b>62 mm (2.441 in)</b>
<b>Thread Size</b>	<b>1-12 UNF-2B</b>
<b>Standpipe NO</b>	
<b>BPV Setting</b>	<b>250 kPa (36.26 PSI)</b>
<b>TWA MICRON @ BETA=2</b>	<b>20 micron (20 micron)</b>
<b>TWA MICRON @ BETA=20</b>	<b>30 micron (30 micron)</b>
<b>TWA MICRON @ BETA=75</b>	<b>38 micron (38 micron)</b>
<b>Primary Applications</b>	
LEYLAND	<a href="https://catalog/CatalogSearch.do?partNumber_PartDeatils=RLK2709">RLK2709 (/catalog/CatalogSearch.do?partNumber_PartDeatils=RLK2709)</a> <a href="https://catalog/CatalogSearch.do?partNumber_PartDeatils=HF7916">All Applications (/catalog/CatalogSearch.do?partNumber_PartDeatils=HF7916)</a>



◆ 2023 Cummins Filtration

[PRIVACY POLICY \(HTTPS://WWW.CUMMINSFILTRATION.COM/PRIVACY\)](https://www.cumminsfiltration.com/privacy) | [TERMS AND CONDITIONS](https://www.cumminsfiltration.com/terms-and-conditions)

[\(HTTPS://WWW.CUMMINSFILTRATION.COM/TERMS-AND-CONDITIONS\)](https://www.cumminsfiltration.com/terms-and-conditions) | [COOKIES](https://www.cumminsfiltration.com/cookies)

[\(HTTPS://WWW.CUMMINSFILTRATION.COM/COOKIES\)](https://www.cumminsfiltration.com/cookies) | [SITE MAP \(HTTPS://WWW.CUMMINSFILTRATION.COM/SITEMAP\)](https://www.cumminsfiltration.com/sitemap)