

[Home](#)

[Products](#)

[Support](#)

[Industries](#)

[Services](#)


[Solutions](#)

[Where to Buy](#)

---

# PEACH® DYNACEPTOR™ NGGC & PZC Gas Coalescer Cartridge | #00-022315

[☰ View Series Page](#)



---

## Local Contact

### Parker Sales Company UK

Tachbrook Park Drive

Tachbrook Park

Warwick



United Kingdom

CV34 6TU

**Phone**


+44 (0)1926 317878

**Get your Parker account Today!**

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.

[Register now](#)

NGGC-640-OC-SS-V PL-20

 Share / Email

**Technical Specifications**

**Nominal Inside Diameter:**

4"

**Micron Rating:**

PL-20: 99.99% ≥ 0.3 Liquid Droplets, ≥8PPB Effluent

**End Cap Configuration:**

SOE - Closed top, open bottom w/ external 253 o-ring

**Cartridge Length:**

39.125"

**Nominal Outside Diameter:**

6"

**pH Range:**

3-9

**Seal Material:**

Viton

**Maximum Operating Temperature:**

240 F

**Filter Material:**

Polyester

**Body Material:**

N/A

**Core Material:**

304SS

**Model Number:**

ELMT NGGC-640-OC-SS-V PL-20

**End Cap Material:**



304SS

**Division:**

Industrial Process Filtration Division

**Brand:**

PECO

**Product Series:**

NGGC

**Filter Construction:**

PEACH Depth

**Changeout Pressure Differential:**

12-14 PSID

**Maximum Pressure Differential:**

25 PSID

**Flow Direction:**

Inside-to-Outside

**Quantity per Box:**

1.0

**Product Type:**

Filter Cartridge

**Industry:**

Oil and Gas

**Application:**

Gas Coalescing

**Technology:**

Filtration

 **Safety Warning**

---

**Item Information**

640

— Show Less

---

**CAD Drawings + Files**

No CAD files available

---



**Parker Sales Company UK**



**+44 (0)1926 317878**

**psc.uk.webform@support.parker.com**

---

**+ Company Information**

---

**+ Global Operations**

---

**+ Help & Support**

---

**+ Follow Us :**

---

© PARKER HANNIFIN CORP 2023

**ENGINEERING YOUR SUCCESS.**

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

