

Replacement Elements - ETF Series

Part #: 1181600260-01



The replacement elements of the Parker ETF Tank mounted return line filter series make use of high quality Microglass glasfibre filter materials.

[View Series Page](#) [Share / Email](#) [Print](#)

Technical Specifications

| | | | |
|--------------------------------|------------------------|----------------|--------|
| Maximum Pressure Differential: | 8 bar (ISO 2941) | Micron Rating: | 10 µm |
| Filter Housing Series: | ETF4A (1-140) / FK1260 | Length: | 260 mm |
| Filter Element: | 10C Cellulose | Diameter: | 71 mm |
| Filter Element Type: | Disposable element | | |

[Safety Warning](#)

Item Information

Utilizing a re-inforced co-polymer head the ETF Series offers a range of economic return line filters that are used and have been proven in many hydraulic filtration applications.

The ETF Series elements have an In to Out flow design that avoids re-contamination of the hydraulic system. Available with Microglass media in 2, 5, 10 and 20 microns the ETF elements provide premium particle removal efficiency.

Using genuine Parker replacement elements guarantees Parker's quality of filtration. Using after market filters with unknown media quality may save initial cost, but can increase overall costs by requiring more element change outs and potentially causing system downtime. Protect your investment by always buying genuine Parker replacement elements.

CAD Drawings + Files

Qty:



Find a Distributor

Division Contact

Parker Sales Co
Tachbrook Park
Tachbrook Park
Warwick
United Kingdom
CV34 6TU

Phone: +44 (0)





Parker Sales Company UK

psc.uk.webform@support.parker.com
[+44 \(0\)1926 317878](tel:+44(0)1926317878)

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)



