

## Low Pressure Spin-On Filters 12AT/50AT Series

Part #: 12AT110BBPGS12H



Our rebranded Spin-On Low Pressure Filter Series are cost effective yet uncompromising in performance and quality. Max allowable operating pressure of 150 PSI/10.3 Bar and capable of flows up to 50 GPM/190 LPM depending on viscosity.

[View Series Page](#)

[View Catalog\(s\)](#)

[Share / Email](#)

[Print](#)

### Technical Specifications

Filter Element:	10 micron microglass
Indicator Type:	Sold separately
Options:	Inlet & Outlet, both sides (all ports drilled & tapped)
Port Connection Type:	SAE-12 ports
Mounting Type:	Inline
Pressure Rating:	150, 10.3
Flow Rate:	49, 13
Bypass Valve (psi):	25
Filter Element Type:	10 micron microglass, Canister
Seal Material:	Nitrile
Bypass Valve Pressure Rating:	25, 1.7
Port Type:	SAE-12 ports
Indicator Type:	Sold separately

Indicator Pressure Setting:	20, 1.4
Options:	Inlet & Outlet, both sides (all ports drilled & tapped)
Housing Material:	Low Carbon Steel
For Fluid Type:	Suitable for use with mineral and vegetable oils, and some synthetic oils. For other fluids, please e-mail Technical Support at HFF.technical@support.parker.com or call 800-253-1258.
Maximum Operating Temperature:	225, 107
Weight:	1.6, 0.73
Compatible Element:	928763
Flow Rate (gpm):	13
Seal Material:	Nitrile

[Safety Warning](#)

Qty:



**Find a Distributor**

**Division Contact**

Parker Sales Co

Tachbrook Park  
Tachbrook Park  
Warwick  
United Kingdom  
CV34 6TU

**Phone:** +44 (0)1926 411111

## Item Information

Often, economic conditions dictate what type of filter is used on a piece of equipment. When costs are tight, you need a filter that is inexpensive, yet uncompromising in performance and quality. Parker's spin-on filters fit that need. They are built to fit demanding design parameters in today's mobile and industrial equipment. No compromising.

### Applications for Spin-On Filters

- Mobile Equipment
- Hydrostatic Drives
- Industrial Power Units
- Reservoir Breathers

## CAD Drawings + Files



## Related Documents



Parker Sales Company UK

[psc.uk.webform@support.parker.com](mailto:psc.uk.webform@support.parker.com)

+44 (0)1926 317878

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2023

**ENGINEERING YOUR SUCCESS.**

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

