







Home

Products ~

Help & Support

Industries oducts / Filters, Collecto... / Filter Assemblies... / Lubrication Oil F... / Medium Pressure I... / 130M210QEBM3KR321

พีฟา๊อัสโนm Pressure In-Line Filter - 130 Series

Part #: 130M210QEBM3KR321





The 130 series is a range of high flow return filters for industrial use on hydraulic or lubrication systems. Flow up to 1400 l/min and pressure up to 30 bar in single units.

View Series Page

Share / Email

Print

Pr

Technical Specifications

Connection Type: Product Style: Options: Filter Element Type:

Flow Rate:
Bypass Valve Pressure Rating:

Mounting Type:

⚠ Safety Warning

2" SAE-3000M Single unit 1 Single Unit

1 Single Unit 10QE Ecoglass 0 to 700 I/min 3,5 * bar Inline Micron Rating:
Pressure Rating:
Flow Rate:
Housing Material:
Operating Temperature:
Indicator Type:

Seal Material:

10 µm 70 bar 900 L/min Aluminium -40 / 100 °C Visual

Visual Nitrile

Item Information

Items marked with an asterisk * in the drop-down menus are standard choices.

The 130 series is a range of high flow return filters for industrial use on hydraulic or lubrication systems. Flow up to 1400 l/min and pressure up to 30 bar in single units. Ability to bank multiple filters together enables continuous filtration during element changes. Coreless Ecoglass III elements.

Typical applications:

- Paper production plants
- Steel mills
- Aluminium mills
- · Industrial power packs
- · Lubrication systems
- Power generation

CAD Drawings + Files



Related Documents





Ħ

 \bigcirc

DAmebristas.

Help & Support Mexico

cparker@support.parker.com Inclustres2-7537

WHERE TO BUY

00800 27 27 5374

AOG (Aircraft on Ground)

1-949-851-4357

- + Company Information
- + Global Operations
- + Help & Support
- + Follow Us:

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS



Ħ.



<u>Home</u>

Products ~

Help & Support

Industries

Where To Buy