







Home

Products ~

Help & Support

Industries oducts / Filters, Collecto... / Filter Assemblies... / Lubrication Oil F... / Medium Pressure I... / 130M210QEBM3KR401

พีฟัติปีเน็m Pressure In-Line Filter - 130 Series

Part #: 130M210QEBM3KR401





The 130 series is a range of high flow return filters for industrial use on hydraulic or lubrication systems. Flow up to 1400 l/min and pressure up to 30 bar in single units.

View Series Page

Share / Email

Print

Pr





Technical Specifications

Connection Type: Product Style: Flow Rate: Options: Filter Element Type: Bypass Valve Pressure Rating:

Mounting Type:

▲ Safety Warning

21/2" SAE-3000M Single unit 0 to 750 I/min 1 Single Unit 10QE Ecoglass

3,5 * bar Inline

Micron Rating: Pressure Rating: Flow Rate: Housing Material: **Operating Temperature:** Indicator Type: Seal Material:

10 um 70 bar 900 L/min Aluminium

-40 / 100 °C Visual Nitrile

Item Information

Items marked with an asterisk * in the drop-down menus are standard choices.

The 130 series is a range of high flow return filters for industrial use on hydraulic or lubrication systems. Flow up to 1400 l/min and pressure up to 30 bar in single units. Ability to bank multiple filters together enables continuous filtration during element changes. Coreless Ecoglass III elements.

Typical applications:

- · Paper production plants
- · Steel mills
- Aluminium mills
- Industrial power packs
- · Lubrication systems
- · Power generation

CAD Drawings + Files



Related Documents





Ħ

 \bigcirc

PAmalericas >

Help & Support Mexico

cparker@support.parker.com Inclustres2-7537

WHERE TO BUY

00800 27 27 5374

AOG (Aircraft on Ground)

1-949-851-4357

- + Company Information
- + Global Operations
- + Help & Support
- + Follow Us:

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS



 $\not\sqsubseteq$ \otimes

<u>Home</u>

Products ~

Help & Support

Industries

Where To Buy