



[Home](#)

[Products](#) ▾

[Help & Support](#)

[Industries](#) / [Products](#) / [Filters, Collecto...](#) / [Filter Assemblies...](#) / [Lubrication Oil F...](#) / [Medium Pressure I...](#) / 130M210QEVT1KR401

[Where To Buy](#)

Medium Pressure In-Line Filter - 130 Series

Part #: 130M210QEVT1KR401



The 130 series is a range of high flow return filters for industrial use on hydraulic or lubrication systems. Flow up to 1400 l/min and pressure up to 30 bar in single units.

[View Series Page](#) [Share / Email](#) [Print](#)

Technical Specifications -

Connection Type:	2½" SAE-3000M	Filter Element Type:	10QE Ecoglass
Product Style:	Single unit	Micron Rating:	10 µm
Flow Rate:	0 to 750 l/min	Indicator Type:	Visual + Electrical NO/NC
Options:	1 Single Unit	Seal Material:	Fluorelastomer

[Safety Warning](#)

Item Information -


Items marked with an asterisk * in the drop-down menus are standard choices.

The 130 series is a range of high flow return filters for industrial use on hydraulic or lubrication systems. Flow up to 1400 l/min and pressure up to 30 bar in single units. Ability to bank multiple filters together enables continuous filtration during element changes. Coreless Ecoglass III elements.

- Typical applications:
- Paper production plants
 - Steel mills
 - Aluminium mills
 - Industrial power packs
 - Lubrication systems
 - Power generation

CAD Drawings + Files +

Related Documents +



Partners

[USA, Canada, Mexico](#)

Help & Support

cparker@support.parker.com

[1-800-272-7537](#)

Where To Buy

00800 27 27 5374

AOG (Aircraft on Ground)

[1-949-851-4357](#)

+ [Company Information](#)

+ [Global Operations](#)


+ [Help & Support](#)

+ [Follow Us :](#)

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)



[Home](#)

[Products](#) ▾

[Help & Support](#)

[Industries](#)

[Where To Buy](#)
