


[Home](#)
[Products](#) ▾

[Help & Support](#)
[Industries](#)
[Where To Buy](#)
[Home](#) / [Products](#) / [Filters, Collecto...](#) / [Filter Assemblies...](#) / [Lubrication Oil F...](#) / [Medium Pressure I...](#) / 130M220QBM3KR401

## Medium Pressure In-Line Filter - 130 Series

Part #: 130M220QBM3KR401



The 130 series is a range of high flow return filters for industrial use on hydraulic or lubrication systems. Flow up to 1400 l/min and pressure up to 30 bar in single units.

[View Series Page](#) ☰ [Share / Email](#) ↗ [Print](#) 🖨️

### Technical Specifications -

Connection Type:	2½" SAE-3000M	Filter Element Type:	20Q Microglass
Flow Rate:	0 to 900 l/min	Micron Rating:	20 µm
Product Style:	Single unit	Indicator Type:	Visual
Options:	1 Single Unit	Seal Material:	Nitrile

[Safety Warning](#)

### Item Information +

### CAD Drawings + Files +

### Related Documents +



Americas

USA, Canada, Mexico

[cparker@support.parker.com](mailto:cparker@support.parker.com)  
[1-800-272-7537](tel:1-800-272-7537)

**Europe**

00800 27 27 5374

**AOG (Aircraft on Ground)**

1-949-851-4357

---

+ Company Information

---

+ Global Operations

---

+ Help & Support

---

+ Follow Us :

---

© PARKER HANNIFIN CORP 2023

**ENGINEERING YOUR SUCCESS.**

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

