



[Home](#)

[Products](#) ▾

[Help & Support](#)

[Industries](#)

[Where To Buy](#)

[Home](#) / [Products](#) / [Filters, Collecto...](#) / [Filter Assemblies...](#) / [Hydraulic Filters](#) / [Medium Pressure I...](#) / [15CN110QEBM2GN164](#)

Medium Pressure Inline Filters CN Series

Part #: 15CN110QEBM2GN164



The CN Series is a compact, cost effective, medium pressure filter designed with coreless filtration technology. CN Series bowl features a permanently fixed core designed to reduce solid waste and minimize disposal costs with every element change out.

[View Series Page](#) ≡

[View Catalog\(s\)](#) ↗

[Share / Email](#) ↻

[Print](#) 🖨

Technical Specifications

Flow Rate:	20 gpm (75.7 lpm)	Micron Rating:	10 μm
Mounting Style:	Inline	Indicator Type:	Visual automatic reset
Pressure Rating:	1000 psi (69 bar)	Indicator Pressure Setting:	25 psi (1.7 bar)
Filter Element Type:	10Q Microglass	Housing Material:	Aluminum
Seal Material:	Nitrile	For Fluid Type:	Mineral, Petroleum and Polyalphaolefin (PAO) based fluids
Port Connection Type:	1" NPT	Maximum Operating Temperature:	225 F (107 C)
Specifications Met:	n/a	Weight:	2.5 lbs (1.13 kg)
Bypass Valve Pressure Rating:	25 psi (1.7 bar)	Compatible Element:	936700Q
Options:	Drain port	Product Style:	Hydraulic Filter
Port Type:	1" NPT	Product Type:	Hydraulic Filter

[Safety Warning](#)

Item Information



CAD Drawings + Files



Related Documents





Americas

USA, Canada, Mexico

cparker@support.parker.com
[1-800-272-7537](tel:1-800-272-7537)

Europe

[00800 27 27 5374](tel:00800-27-27-5374)

AOG (Aircraft on Ground)

[1-949-851-4357](tel:1-949-851-4357)

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2023

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

