



[Home](#)

[Products](#) ▾

[Help & Support](#)

[Industries](#)

[Where To Buy](#)

[Home](#) / [Products](#) / [Filters, Collecto...](#) / [Filter Assemblies...](#) / [Hydraulic Filters](#) / [Medium Pressure I...](#) / 15CN110QEVM2KN124

# Medium Pressure Inline Filters CN Series

Part #: 15CN110QEVM2KN124



The CN Series is a compact, cost effective, medium pressure filter designed with coreless filtration technology. CN Series bowl features a permanently fixed core designed to reduce solid waste and minimize disposal costs with every element change out.

[View Series Page](#) ≡

[View Catalog\(s\)](#) ↗

[Share / Email](#) ↻

[Print](#) 🖨

## Technical Specifications

Flow Rate:	20 gpm (75.7 lpm)	Indicator Type:	Visual automatic reset
Mounting Style:	Inline	Housing Material:	Aluminum
Pressure Rating:	1000 psi (69 bar)	Indicator Pressure Setting:	50 psi (3.4 bar)
Filter Element Type:	10Q Microglass	For Fluid Type:	Mineral, Petroleum and Polyalphaolefin (PAO) based fluids
Seal Material:	Fluorocarbon	Maximum Operating Temperature:	225 F (107 C)
Port Connection Type:	3/4" NPT	Weight:	2.5 lbs (1.13 kg)
Specifications Met:	n/a	Compatible Element:	936700Q
Bypass Valve Pressure Rating:	50 psi (3.4 bar)	Product Style:	Hydraulic Filter
Options:	Drain port	Product Type:	Hydraulic Filter
Port Type:	3/4" NPT		

[⚠ Safety Warning](#)

## Item Information



## CAD Drawings + Files



## Related Documents





**Americas**

USA, Canada, Mexico

[cparker@support.parker.com](mailto:cparker@support.parker.com)  
[1-800-272-7537](tel:1-800-272-7537)

**Europe**

[00800 27 27 5374](tel:00800-27-27-5374)

**AOG (Aircraft on Ground)**

[1-949-851-4357](tel:1-949-851-4357)

---

+ Company Information

---

+ Global Operations

---

+ Help & Support

---

+ Follow Us :

---

© PARKER HANNIFIN CORP 2023

**ENGINEERING YOUR SUCCESS.**

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)



