


[Home](#)
[Products](#)
[Help & Support](#)
[Industries](#)
[Where To Buy](#)
[Home](#) / [Products](#) / [Filters, Collecto...](#) / [Filter Assemblies...](#) / [Hydraulic Filters](#) / [Medium Pressure I...](#) / 15CN210QEBE2KS124

## Medium Pressure Inline Filters CN Series

Part #: 15CN210QEBE2KS124



The CN Series is a compact, cost effective, medium pressure filter designed with coreless filtration technology. CN Series bowl features a permanently fixed core designed to reduce solid waste and minimize disposal costs with every element change out.

[View Series Page](#)
[View Catalog\(s\)](#)
[Share / Email](#)
[Print](#)

### Technical Specifications

Mounting Style:	Inline	Indicator Type:	Electrical/Visual (DIN43650 Hirschman style connection)
Flow Rate:	25 gpm (94.6 lpm)	Housing Material:	Aluminum
Pressure Rating:	1000 psi (69 bar)	Indicator Pressure Setting:	50 psi (3.4 bar)
Filter Element Type:	10Q Microglass	For Fluid Type:	Mineral, Petroleum and Polyalphaolefin (PAO) based fluids
Seal Material:	Nitrile	Maximum Operating Temperature:	225 F (107 C)
Port Connection Type:	SAE-12 straight threads	Weight:	3.5 lbs (1.6 kg)
Specifications Met:	CE marked indicator	Compatible Element:	936704Q
Bypass Valve Pressure Rating:	50 psi (3.4 bar)	Product Style:	Hydraulic Filter
Options:	Drain port	Product Type:	Hydraulic Filter
Port Type:	SAE-12 straight threads		
Micron Rating:	10 µm		

[Safety Warning](#)

### Item Information

### CAD Drawings + Files

## Related Documents



### Americas

USA, Canada, Mexico

[cparker@support.parker.com](mailto:cparker@support.parker.com)  
[1-800-272-7537](tel:1-800-272-7537)

### Europe

[00800 27 27 5374](tel:00800-27-27-5374)

**AOG (Aircraft on Ground)**

[1-949-851-4357](tel:1-949-851-4357)

---

+ Company Information

---

+ Global Operations

---

+ Help & Support

---

+ Follow Us :

---

© PARKER HANNIFIN CORP 2023

**ENGINEERING YOUR SUCCESS.**

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)



