


[Home](#)
[Products](#) ▾

[Help & Support](#)
[Industries](#)
[Where To Buy](#)
[Home](#) / [Products](#) / [Filters, Collecto...](#) / [Filter Assemblies...](#) / [Hydraulic Filters](#) / [High Pressure Inl...](#) / 15P202QXBE2KS122

## High Pressure Inline/Duplex Filter 15P/30P/30PD Series

Part #: 15P202QXBE2KS122



The Parker 15P/30P Series is a high pressure all aluminum filter assembly that comes in a variety of options. The 15P/30P Series has a rated fatigue pressure of up to 2,000psi and flow rate up to 45gpm.

[View Series Page](#) ≡

[View Catalog\(s\)](#) ↗

[Share / Email](#) ↻

[Print](#) 🖨️

### Technical Specifications

Mounting Style:	inline	Indicator Pressure Setting:	50 PSI (3.5 bar)
Seal Material:	nitrile	Options:	no bypass
Indicator Type:	electrical/visual DIN 43650 style connection	Housing Material:	bowl - impacted aluminum (6061-T6, black powderpainted exterior); head - extruded aluminum (anodized 6061-T6)
Flow Rate:	20 GPM (75 LPM)	Filter Element Type:	cartridge
Micron Rating:	02Q high collapse microglass (3000 psid)	For Fluid Type:	Suitable for use with mineral and vegetable oils, and some synthetic oils. For other fluids, please email Technical Support at HFF.techsupport@support.parker.com or call 800-253-1258
Options:	no bypass	Maximum Operating Temperature:	225 F (107 C)
Port Connection Type:	SAE-12 ports	Weight:	4.6 lb ( 2.1 kg)
Pressure Rating:	3000 psi (206.9 bar)	Compatible Element:	933578Q
Flow Rate:	20 GPM (75 LPM)	Product Style:	Hydraulic Filter
Micron Rating:	02Q high collapse microglass (3000 psid)	Product Type:	Hydraulic Filter
Seal Material:	nitrile		
Bypass Valve Pressure Rating:	50 psid (3.5 bar)		
Port Type:	SAE-12 ports		
Indicator Type:	electrical/visual DIN 43650 style connection		

[⚠️ Safety Warning](#)

### Item Information

## CAD Drawings + Files



## Related Documents



### Americas

USA, Canada, Mexico

[cparker@support.parker.com](mailto:cparker@support.parker.com)

[1-800-272-7537](tel:1-800-272-7537)

### Europe

[00800 27 27 5374](tel:00800-27-27-5374)

**AOG (Aircraft on Ground)**

[1-949-851-4357](tel:1-949-851-4357)

---

+ Company Information

---

+ Global Operations

---

+ Help & Support

---

+ Follow Us :

---

© PARKER HANNIFIN CORP 2024

**ENGINEERING YOUR SUCCESS.**

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

