



[Home](#)

[Products](#) ▾

[Help & Support](#)

[Industries](#)

[Where To Buy](#)

[Home](#) / [Products](#) / [Filters, Collecto...](#) / [Filter Assemblies...](#) / [Hydraulic Filters](#) / [High Pressure In...](#) / 18P120QBM3MG121

## High Pressure In-Line Filter - 18/28/38P Series

Part #: 18P120QBM3MG121



18/28/38P high pressure inline hydraulic oil filter series is a globally proven filter with optimised sizing covering flows up to 700 l/min and a pressure level up to 414 bar.

[View Series Page](#) ☰ [Share / Email](#) ↗ [Print](#) 🖨

### Technical Specifications -

|                               |                |                             |                          |
|-------------------------------|----------------|-----------------------------|--------------------------|
| Flow Rate:                    | 0-170 l/min    | Indicator Type:             | Visual                   |
| Length:                       | Length 1       | Indicator Pressure Setting: | 5.0 bar                  |
| Filter Element Type:          | 20Q Microglass | Connection Type:            | Thread G $\frac{3}{4}$ " |
| Micron Rating:                | 20 $\mu$ m     | Operating Temperature:      | -40/+100°C               |
| Seal Material:                | Nitrile        | Options:                    | Standard, incl. Bypass   |
| Bypass Valve Pressure Rating: | 7.0 bar        |                             |                          |

[Safety Warning](#)

### Item Information +

### CAD Drawings + Files +

### Related Documents +



Americas

USA, Canada, Mexico

[cparker@support.parker.com](mailto:cparker@support.parker.com)  
[1-800-272-7537](tel:1-800-272-7537)

**Europe**

[00800 27 27 5374](tel:0080027275374)

**AOG (Aircraft on Ground)**

[1-949-851-4357](tel:1-949-851-4357)

---

+ Company Information

---

+ Global Operations

---

+ Help & Support

---

+ Follow Us :

---

© PARKER HANNIFIN CORP 2024

**ENGINEERING YOUR SUCCESS.**

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

