



[Home](#)

[Products](#) ▾

[Help & Support](#)

[Industries](#)

[Where To Buy](#)

[Home](#) / [Products](#) / [Filters, Collecto...](#) / [Replacement Filte...](#) / [Liquid Filter Ele...](#) / [XTREAMPURE® XP Li...](#) / 19254

XTREAMPURE® XP Liquid Filter Cartridge

Part #: 19254



XP-PCHL-6100E

[View Series Page](#) ☰ [Share / Email](#) ↗ [Print](#) 🖨

Technical Specifications

Nominal Inside Diameter:	3"	Filter Material:	Polypropylene
Flow Direction:	Inside-to-Outside	Maximum Pressure Differential:	50
Maximum Pressure Differential:	50 PSID	End Cap Configuration:	SOE - Open top w/ handle outer chevron-style seal, closed bottom
Changeout Pressure Differential:	35 PSID	End Cap Material:	Polypropylene
Nominal Outside Diameter:	6.3"	Flow Direction:	Inside-to-Outside
Model Number:	ELMT XP-PCHL-6100E	Seal Material:	EPDM
Division:	Industrial Process Filtration Division	Quantity per Box:	1
Brand:	PECO	Product Type:	Filter Cartridge
Product Series:	XP-PCHL	Body Material:	N/A
Micron Rating:	10	Core Material:	Tin-Plated Steel
Cartridge Length:	60.5"	Industry:	Oil and Gas
Nominal Outside Diameter:	6.3	Technology:	Filtration
Nominal Inside Diameter:	3	Maximum Operating Temperature:	180 F
Filter Construction:	PEACH Depth	pH Range:	2-14
Changeout Pressure Differential:	35		

[Safety Warning](#)

Item Information



CAD Drawings + Files



Related Documents





Americas

USA, Canada, Mexico

cparker@support.parker.com
[1-800-272-7537](tel:1-800-272-7537)

Europe

[00800 27 27 5374](tel:00800-27-27-5374)

AOG (Aircraft on Ground)

[1-949-851-4357](tel:1-949-851-4357)

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2024

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)



