



[Home](#)

[Products](#) ▾

[Help & Support](#)

[Industries](#)

[Where To Buy](#)

[Home](#) / [Products](#) / [Filters, Collecto...](#) / [Filter Assemblies...](#) / [Hydraulic Filters](#) / [Tanktop Mounted R...](#) / 2037050017

Tanktop Mounted Return Line Filter - BGT Series

Part #: 2037050017



The BGT Series features pre-filtration by means of a magnet column and a full flow bypass with low hysteresis. Providing maximum flow rates of 2400 l/min at maximum pressure 10 bar.

[View Series Page](#) ☰ [Share / Email](#) ↗ [Print](#) 🖨

Technical Specifications ▬

<p>Indicator Pressure Setting: No indicator</p> <p>Operating Pressure: 10 bar</p> <p>Division: Hydraulic & Industrial Process Filtration Division EMEA, Hydraulic and Industrial Process Filtration EMEA</p> <p>Operating Temperature: -40 to +100°C</p> <p>Flow Rate: 0 to 600 l/min</p> <p>Brand: Parker</p> <p>Bypass Valve Pressure Rating: 1.5 bar</p> <p>Technology: Filtration</p> <p>Connection Type: 2"SAE</p> <p>Filter Element Type: No Element</p>	<p>Product Type: Hydraulic Filter</p> <p>Micron Rating: No Element</p> <p>Filter Type: Tanktop Mounted Return Line Filter</p> <p>Indicator Type: No indicator, Port plugged R</p> <p>Product Series: BGT Series</p> <ul style="list-style-type: none"> • Mobile cranes • Excavators • Deck cranes • Fire fighting equipment • Hydraulic presses • Waste balers • Industrial power units • Fork lift trucks <p>Application:</p> <p>Mounting Type: Tank Mounted</p> <p>Pressure Rating: 0-34 bar (0-500 psi)</p> <p>Housing Material: Aluminium</p>
--	---

[Safety Warning](#)

Item Information +

CAD Drawings + Files +

Related Documents +



Americas

USA, Canada, Mexico

cparker@support.parker.com
[1-800-272-7537](tel:1-800-272-7537)

Europe

[00800 27 27 5374](tel:00800-27-27-5374)

AOG (Aircraft on Ground)

[1-949-851-4357](tel:1-949-851-4357)

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2024

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

