



[Home](#)

[Products](#) ▾

[Help & Support](#)

[Industries](#)

[Where To Buy](#)

[Home](#) / [Products](#) / [Filters, Collecto...](#) / [Filter Assemblies...](#) / [Hydraulic Filters](#) / [Tanktop Mounted R...](#) / 2037060008

# Tanktop Mounted Return Line Filter - BGT Series

Part #: 2037060008



The BGT Series features pre-filtration by means of a magnet column and a full flow bypass with low hysteresis. Providing maximum flow rates of 2400 l/min at maximum pressure 10 bar.

[View Series Page](#) ☰ [Share / Email](#) ↗ [Print](#) 🖨

## Technical Specifications ▬

Flow Rate:	0 to 800 l/min	Product Series:	BGT Series
Division:	Hydraulic and Industrial Process Filtration EMEA	Indicator Type:	No indicator, Port plugged R
Bypass Valve Pressure Rating:	1.5 bar	Application:	• Mobile cranes
Brand:	Parker		• Excavators
Technology:	Filtration	• Deck cranes	• Fire fighting equipment
Connection Type:	3"SAE	• Hydraulic presses	• Waste balers
Filter Element Type:	No Element	• Industrial power units	• Fork lift trucks
Product Type:	Hydraulic Filter	Mounting Type:	Tank Mounted
Micron Rating:	No Element	Pressure Rating:	0-34 bar (0-500 psi)
Filter Type:	Tanktop Mounted Return Line Filter	Housing Material:	Aluminium

[Safety Warning](#)

## Item Information +

## CAD Drawings + Files +

## Related Documents +



**Americas**

USA, Canada, Mexico

[cparker@support.parker.com](mailto:cparker@support.parker.com)  
[1-800-272-7537](tel:1-800-272-7537)

**Europe**

[00800 27 27 5374](tel:00800-27-27-5374)

**AOG (Aircraft on Ground)**

[1-949-851-4357](tel:1-949-851-4357)

---

+ Company Information

---

+ Global Operations

---

+ Help & Support

---

+ Follow Us :

---

© PARKER HANNIFIN CORP 2024

**ENGINEERING YOUR SUCCESS.**

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

