



[Home](#)

[Products](#) ▾

[Help & Support](#)

[Industries](#)

[Where To Buy](#)

[Home](#) / [Products](#) / [Filters, Collecto...](#) / [Filter Assemblies...](#) / [Hydraulic Filters](#) / [Tanktop Mounted R...](#) / 2037200002

Tanktop Mounted Return Line Filter - BGT Series

Part #: 2037200002



The BGT Series features pre-filtration by means of a magnet column and a full flow bypass with low hysteresis. Providing maximum flow rates of 2400 l/min at maximum pressure 10 bar.

[View Series Page](#) ≡ [Share / Email](#) ↗ [Print](#) 🖨

Technical Specifications -

Division:	Hydraulic and Industrial Process Filtration EMEA	Indicator Type:	No indicator, Port plugged R
Flow Rate:	0 to 2000 l/min	Product Series:	BGT Series
Bypass Valve Pressure Rating:	1.5 bar	Application:	<ul style="list-style-type: none"> • Mobile cranes • Excavators • Deck cranes • Fire fighting equipment • Hydraulic presses • Waste balers • Industrial power units • Fork lift trucks
Brand:	Parker	Mounting Type:	Tank Mounted
Technology:	Filtration	Pressure Rating:	0-34 bar (0-500 psi)
Connection Type:	3x1¼"SAE + 1x½"SAE	Housing Material:	Aluminium
Product Type:	Hydraulic Filter		
Filter Element Type:	10Q Microglass		
Micron Rating:	10 µm		
Filter Type:	Tanktop Mounted Return Line Filter		

[Safety Warning](#)

Item Information +

CAD Drawings + Files +

Related Documents +



Americas

USA, Canada, Mexico

cparker@support.parker.com
[1-800-272-7537](tel:1-800-272-7537)

Europe

[00800 27 27 5374](tel:00800-27-27-5374)

AOG (Aircraft on Ground)

[1-949-851-4357](tel:1-949-851-4357)

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2024

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

