



[Home](#)

[Products](#) ▾

[Help & Support](#)

[Industries](#)

[Where To Buy](#)

[Home](#) / [Products](#) / [Filters, Collecto...](#) / [Filter Assemblies...](#) / [Hydraulic Filters](#) / [In-Tank Mounted F...](#) / 2041030010

# In-Tank Mounted Filter - IN-AGB Series

Part #: 2041030010



The IN-AGB Series is a low cost, high performance in-tank mounted return line filter featuring a quick response bypass construction with low hysteresis and a high dirt-holding capacity.

[View Series Page](#) ≡

[View Catalog\(s\)](#) ↗

[Share / Email](#) ↗

[Print](#) 🖨

## Technical Specifications

Flow Rate:	520 l/min	Product Type:	Hydraulic Filter
Brand:	Parker	Seal Material:	Nitrile
Bypass Valve:	1.5 bar	Height:	559 mm
Pressure Rating:		Product Series:	IN-AGB Series
Division:	Hydraulic & Industrial Process Filtration Division EMEA	For Fluid Type:	Hydraulic Oil
Filter Element Type:	No element	Outside Diameter:	125 mm
Industry:	Industrial Manufacturing Equipment, Off-Road Machinery	Operating Pressure:	0-34 bar, 0-500 psi
Micron Rating:	n/a	Operating Temperature:	-40 to +100 °C
Application:	Agricultural Machines, Articulated Dump Trucks, Forestry Equipment, Lubrication Systems, Excavators	Mounting Type:	Tank Mounted
Options:	No Diffuser	Specifications Met:	Degree of filtration determined by multipass test according to ISO 16889.
Technology:	Hydraulics, Filtration	Indicator Type:	No Indicator

[Safety Warning](#)

## Item Information



## CAD Drawings + Files



## Related Documents





**Americas**

USA, Canada, Mexico

[cparker@support.parker.com](mailto:cparker@support.parker.com)  
[1-800-272-7537](tel:1-800-272-7537)

**Europe**

[00800 27 27 5374](tel:00800-27-27-5374)

**AOG (Aircraft on Ground)**

[1-949-851-4357](tel:1-949-851-4357)

---

+ Company Information

---

+ Global Operations

---

+ Help & Support

---

+ Follow Us :

---

© PARKER HANNIFIN CORP 2024

**ENGINEERING YOUR SUCCESS.**

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

