=Parker		
<u>Home</u>		
Products		
<u>Support</u>		
Industries		
<u>Services</u>		
Solutions		
Where to Buy		

Home / Products / Filters, Collecto... / Filter Assemblies... / Hydraulic Filters / High Pressure In-... / 22PD102QBT1KG161

High Pressure In-Line Duplex Filter - 22PD-32PD Series

Part #: 22PD102QBT1KG161



The 22PD-32PD Series High Pressure Duplex Filters are specially designed to offer continuous operation, even during element change.

Parker

0 to 80 l/min

View Series Page 😑 Share / Email 📌 Print 🖶

Technical Specifications

Brand: Flow Rate: Division: Bypass Valve Pressure Rating: Connection Type: Industry: Filter Element Type: Application: Micron Rating: Technology:

Options:

▲ Safety Warning

Hydraulic & Industrial Process Filtration Division EMEA 3.5 bar G1" Industrial Manufacturing Equipment Off-Road Transport 02Q Microglass Hydraulic Filtration 2 µm Filtration, Hydraulics With Bypass Product Type: Indicator Type: Product Series: Housing Material: Indicator Pressure Setting: Mounting Type: Seal Material: For Fluid Type: Operating Pressure:

Operating Temperature: Maximum Flow Rate: Seal Material: Hydraulic Filter Electrical N.O./N.C. 22PD-32PD Iron/Steel 2.5 bar Inline Nitrile Mineral and vegetable oils and some synthetic oils Up to 210 bar / 3045 psi -40 / +100 °C 210 L/min Nitrile of Fluoroelastomer

Item Information

The 22PD-32PD Series is a high pressure filter with a wide application capability. It is designed to offer continuous operation during element change.

The 22PD-32PD Series utilizes a duplex design with integrated balancing valve and vent ports. A changeover valve operates on the upstream side of the filter, ensuring continuous filtration and a contamination free system.

Glass fibre filtration media is applied as standard.

Product Features:

- · 22PD-32PD utilizes a duplex design with integrated balancing valve and vent ports.
- Microglass III glass fibre media is standard.
- Maximum pressure 210 bar. Maximum flow 260 l/min.
- · Designed to offer continuous operation during element change.

Typical Applications:

- Ship steering systems
- Continuously operating industrial systems
- High pressure, high flow flushing systems

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

CAD Drawings + Files

Related Documents



Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

- + Company Information
- + Global Operations
- + Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2024

╇

ENGINEERING YOUR SUCCESS. SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS