

Home

Products

Support

Industries

Services

Solutions

Where to Buy

Home / Products / Filters, Collecto... / Filter Assemblies... / Hydraulic Filters / High Pressure In-... / 22PD105QVPKG161

High Pressure In-Line Duplex Filter - 22PD-32PD Series

Part #: 22PD105QVPKG161







The 22PD-32PD Series High Pressure Duplex Filters are specially designed to offer continuous operation, even during element change.

View Series Page

Share / Email

Print

Pr

Technical Specifications

Flow Rate: 0 to 90 l/min Brand: Parker

Hydraulic & Industrial Process Filtration Division:

3.5 bar

Division EMEA

Bypass Valve Pressure Rating:

Connection Type:

Industrial Manufacturing Equipment Industry: Off-Road Transport

Filter Element Type: 05Q Microglass Hydraulic Filtration Application:

Micron Rating: 5 µm

Technology: Filtration, Hydraulics Hydraulic Filter **Product Type:**

▲ Safety Warning

Options: With Bypass

Indicator Type: No indicator, port plugged

Product Series: 22PD-32PD Iron/Steel Housing Material: Indicator Pressure Setting: No indicator Seal Material: Fluoroelastomer Mounting Type: Inline

Mineral and vegetable oils and some synthetic For Fluid Type:

Operating Pressure: Up to 210 bar / 3045 psi

Operating Temperature: -40 / +100 °C Maximum Flow Rate: 210 L/min

Seal Material: Nitrile of Fluoroelastomer

Item Information

The 22PD-32PD Series is a high pressure filter with a wide application capability. It is designed to offer continuous operation during element

The 22PD-32PD Series utilizes a duplex design with integrated balancing valve and vent ports. A changeover valve operates on the upstream side of the filter, ensuring continuous filtration and a contamination free system.

Glass fibre filtration media is applied as standard.

Product Features:

- 22PD-32PD utilizes a duplex design with integrated balancing valve and vent ports.
- · Microglass III glass fibre media is standard.
- \bullet Maximum pressure 210 bar. Maximum flow 260 l/min.
- Designed to offer continuous operation during element change.

Typical Applications:

- Ship steering systems
- Continuously operating industrial systems
- High pressure, high flow flushing systems

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

CAD Drawings + Files Related Documents +



Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

+	Company	Inform	ation

+ Global Operations

+ Help & Support

+ Follow Us:

© PARKER HANNIFIN CORP 2024

ENGINEERING YOUR SUCCESS.

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS