

[Home](#)

[Products](#)

[Support](#)

[Industries](#) / [Products](#) / [Filters, Collecto...](#) / [Replacement Filte...](#) / [Liquid Filter Ele...](#) / [Fulflo Honeycomb ...](#) / 23R10S

[Services](#)
[Solutions](#)

Fulflo Honeycomb Wound Filter Cartridges | Multi-purpose design with nominal 90% efficiency from 0.5-150 micron

[Where to Buy](#)

Part #: 23R10S



Parker has been a leader in filter media innovation and performance since we first invented the Honeycomb™ Filter Tube over 65 years ago. Parker has the world's largest manufacturing capacity for wound filter cartridges, offering superior quality.

[View Series Page](#)

[View Catalog\(s\)](#)

[Share / Email](#)

[Print](#)

Technical Specifications

| | | | |
|----------------------|---------------------------------------|--------------------------|--------------------|
| Micron Rating (µm): | 5 | Inside Diameter: | 1 inch |
| Filter Construction: | Cotton FDA Grade | Specifications Met: | FDA |
| Industry: | Food and beverage | Flow Rate: | 5 GPM per 10 inch |
| End Cap Finish: | No end treatment | End Cap Material: | No end cap |
| Core Cover Material: | No core cover | Packaging: | STANDARD PACKAGING |
| Brand: | domnick hunter | End Cap Configuration: | DOE |
| Function: | Clarification/Prefiltration/Polishing | Seal Material: | No gasket |
| Media: | Cotton FDA Grade | Length (inch): | 10 |
| Core Type: | 316 Stainless steel | Outside Diameter (inch): | 2 7/16 |
| Filter Construction: | Wound | | |

[Safety Warning](#)

Item Information

Parker has been a leader in filter media innovation and performance since we first invented the Honeycomb™ Filter Tube over 65 years ago. Parker has the world's largest manufacturing capacity for wound filter cartridges, offering superior quality along with technical, engineering and marketing support. Effective removal ratings at nominal 90% efficiency from 0.5µm to 150µm.

Features/Benefits

- A broad range of media provide excellent compatibility with a variety of organic solvents, animal, petroleum and vegetable oils
- Optional core covers and end treatments assure fiber migration control
- Multiple length filter cartridges minimize change-out time, eliminate spacers and are available to fit competitive filter vessels
- FDA grade polypropylene (DOE only) filter cartridges certified to ANSI/ NSF61 standard for contact with drinking water components
- Continuous strand winding geometry provides performance consistency

- Optional extended center core option eliminates the need for cartridge guides in all competitive and Fulflo® multi-cartridge vessels
- In extender is available for polypropylene cores
- Cotton, polypropylene, nylon and polyester materials are FDA listed as acceptable for potable and edible liquid contact according to CFR Title 21



[Home](#)

[Applications](#)

[Products](#)

[Support](#)

[Industries](#)

[Services](#)

[Solutions](#)

[Where to Buy](#)

[Water](#)

[Solutions for Membranes](#)

[Mineral Acid Filtration](#)

[Wettable Powders & Solvent Filtration](#)

CAD Drawings + Files



Related Documents



Parker Sales Company UK

psc.uk.webform@support.parker.com

[+44 \(0\)1926 317878](tel:+44201926317878)

+ [Company Information](#)

+ [Global Operations](#)

+ [Help & Support](#)

+ [Follow Us :](#)

© PARKER HANNIFIN CORP 2024

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)



[Home](#)

[Products](#)

[Support](#)

[Industries](#)

[Services](#)

[Solutions](#)

[Where to Buy](#)
