

[Home](#)

[Products](#)

[Support](#)

[Industries](#) / [Products](#) / [Filters, Collecto...](#) / [Replacement Filte...](#) / [Liquid Filter Ele...](#) / [Clariflow-WG Plea...](#) / 25-10120-002-11-WG

[Services](#)

[Solutions](#)

[Where to Buy](#)

Clariflow-WG Pleated Membrane Filter Cartridge | Water service grade hydrophilic PES membrane

Part #: 25 10120 002 11 WG



Clariflow water service grade cartridges are cost-effective alternatives to Clariflow E and G grade cartridges for the filtration of a variety of aqueous liquids.

[View Series Page](#) [Share / Email](#) [Print](#)

Technical Specifications

Brand:	Parker	Core Type:	Polypropylene
Media:	PES (Polyethersulfone)	Hose Reinforcement Material & Structure:	Polypropylene
Outside Diameter:	2.75 inch	Flow Rate:	2.6GPM/PSID per 10 inch cartridge equivalent for 0.2
Seal Material:	EPDM	Micron Rating (µm):	0.2
Industry:	Food and Beverage	End Cap Configuration:	DOE
Function:	Clarification/Prefiltration/Polishing	Style:	No Insert
Filter Construction:	Pleated Membrane	Length (inch):	20
Secondary Seal:	5mm thick gaskets		
End Cap Material:	Polypropylene		

[Safety Warning](#)

Item Information

The Clariflow-WG Pleated Membrane Filter Cartridge is built around a unique polyethersulfone (PES) membrane that is inherently hydrophilic, and contains no added surfactants or wetting agents. It delivers clean filtrates, flow rates, extended service life and excellent resistance to hydrolysis. Water Service cartridges are fabricated under cleanroom conditions.

CAD Drawings + Files

Related Documents

Products

+ Company Information

Support

+ Global Operations

Industries

+ Help & Support

Services

+ Follow Us :

Solutions

Where to Buy



[Home](#)

[Products](#)

[Support](#)

[Industries](#)

[Services](#)

[Solutions](#)

[Where to Buy](#)
