

# Clariflow-G Pleated Membrane Filter Cartridge | General grade hydrophilic PES membrane

Part #: 25-10730-006-2-G



Clariflow® General grade filter cartridges are designed for general-purpose use in the filtration of high-purity liquids and aqueous chemicals.

[View Series Page](#) [Share / Email](#) [Print](#)

## Technical Specifications

Brand:	Parker	Outside Diameter:	2.75 inch
Filter Construction:	Pleated Membrane	Hose Reinforcement	Polypropylene
Flow Rate:	9.2gpm/psid per 10 inch cartridge equivalent for 0.65um	Material & Structure:	
Media:	PES (Polyethersulfone)	Secondary Seal:	N/A
Core Type:	Polypropylene	Micron Rating (µm):	0.65
Function:	Clarification/Prefiltration/Polishing	Seal Material:	S7442
End Cap Configuration:	Polypropylene	End Cap Configuration:	226 O-Ring/Fin
Industry:	Industrial	Length (inch):	30
		Style:	No Insert

[Safety Warning](#)

## Item Information

Clariflow® General grade filter cartridges are designed for general-purpose use in the filtration of high-purity liquids and aqueous chemicals. The mirrored-anisotropic Polyethersulfone (PES) membrane is inherently hydrophilic and has a pore morphology that delivers exceptionally high flow rates.

Because there are no added surfactants or wetting agents, and the support layers and structure are all-polypropylene, the filter exhibits low extractables, broad chemical compatibility and good resistance to hydrolysis.

The Clariflow General Grade Filter Cartridge is available in absolute ratings of 0.04, 0.1, 0.2, 0.45, 0.65 and 0.8µm pore sizes.

Features/Benefits

- High flow rate reduces processing time

- Broad chemical compatibility allows use in most applications
- Low differential pressure reduces system wear and tear

#### Applications

- Chemical filtration
- Liquid clarification filtration
- Recirculating fluid filtration
- General use water filtration
- Deionized water system filtration

---

## CAD Drawings + Files



---

## Related Documents



**Parker Sales Company UK**

[psc.uk.webform@support.parker.com](mailto:psc.uk.webform@support.parker.com)  
[+44 \(0\)1926 317878](tel:+44(0)1926317878)

---

+ Company Information

---

+ Global Operations

---

+ Help & Support

---

+ Follow Us :

---

© PARKER HANNIFIN CORP 2024

**ENGINEERING YOUR SUCCESS.**

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

