

Clariflow-G Pleated Membrane Filter Cartridge | General grade hydrophilic PES membrane

Part #: 25-10810-924-1-G



Clariflow® General grade filter cartridges are designed for general-purpose use in the filtration of high-purity liquids and aqueous chemicals.

[View Series Page](#) [Share / Email](#) [Print](#)

Technical Specifications

| | | | |
|------------------------|---|--|----------------|
| Function: | Clarification/Prefiltration/Polishing | Outside Diameter: | 2.75 inch |
| Brand: | Parker | Hose Reinforcement Material & Structure: | Polypropylene |
| Flow Rate: | 1.0gpm/psid per 10 inch cartridge equivalent for 0.04um | Seal Material: | EPDM |
| Filter Construction: | Pleated Membrane | Micron Rating (µm): | 0.04 |
| Core Type: | Polypropylene | Secondary Seal: | N/A |
| Media: | PES (Polyethersulfone) | End Cap Configuration: | 222 O-Ring/Fin |
| End Cap Configuration: | Polypropylene | Style: | No Insert |
| Industry: | Industrial | Length (inch): | 10 |

[Safety Warning](#)

Item Information

Clariflow® General grade filter cartridges are designed for general-purpose use in the filtration of high-purity liquids and aqueous chemicals. The mirrored-anisotropic Polyethersulfone (PES) membrane is inherently hydrophilic and has a pore morphology that delivers exceptionally high flow rates.

Because there are no added surfactants or wetting agents, and the support layers and structure are all-polypropylene, the filter exhibits low extractables, broad chemical compatibility and good resistance to hydrolysis.

The Clariflow General Grade Filter Cartridge is available in absolute ratings of 0.04, 0.1, 0.2, 0.45, 0.65 and 0.8µm pore sizes.

Features/Benefits

- High flow rate reduces processing time

- Broad chemical compatibility allows use in most applications
- Low differential pressure reduces system wear and tear

Applications

- Chemical filtration
- Liquid clarification filtration
- Recirculating fluid filtration
- General use water filtration
- Deionized water system filtration

CAD Drawings + Files



Related Documents



Parker Sales Company UK

psc.uk.webform@support.parker.com
[+44 \(0\)1926 317878](tel:+441926317878)

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2024

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)

