≡ —Parker		
<u>Home</u>		
Products		
<u>Support</u>		
Industries		
<u>Services</u>		
Solutions		
Where to Buy		

Home / Products / Filters, Collecto... / Filter Assemblies... / Hydraulic Filters / High Pressure In-... / 32PD205QVPKG201

# High Pressure In-Line Duplex Filter - 22PD-32PD Series

# Part #: 32PD205QVPKG201



The 22PD-32PD Series High Pressure Duplex Filters are specially designed to offer continuous operation, even during element change.

View Series Page 😑 Share / Email 📌 Print 🖶

# **Technical Specifications**

Flow Rate: Brand: Division: Bypass Valve Pressure Rating: Connection Type: Industry: Application: Filter Element Type: Micron Rating:

Technology: Product Type:

A Safety Warning

0 to 210 I/min Parker Hydraulic & Industrial Process Filtration Division EMEA 3.5 bar G1¼" Industrial Manufacturing Equipment Off-Road Transport Hydraulic Filtration 05Q Microglass 5 μm Filtration, Hydraulics Hydraulic Filter Options: Indicator Type: Product Series: Housing Material: Indicator Pressure Setting: Seal Material: Mounting Type: For Fluid Type: Operating Pressure:

Operating Temperature: Maximum Flow Rate: Seal Material:

#### With Bypass No indicator, port plugged 22PD-32PD Iron/Steel No indicator Fluoroelastomer Inline Mineral and vegetable oils and some synthetic oils Up to 210 bar / 3045 psi -40 / +100 °C 210 L/min Nitrile of Fluoroelastomer

# **Item Information**

The 22PD-32PD Series is a high pressure filter with a wide application capability. It is designed to offer continuous operation during element change.

The 22PD-32PD Series utilizes a duplex design with integrated balancing valve and vent ports. A changeover valve operates on the upstream side of the filter, ensuring continuous filtration and a contamination free system.

Glass fibre filtration media is applied as standard.

#### **Product Features:**

- · 22PD-32PD utilizes a duplex design with integrated balancing valve and vent ports.
- Microglass III glass fibre media is standard.
- Maximum pressure 210 bar. Maximum flow 260 l/min.
- · Designed to offer continuous operation during element change.

#### **Typical Applications:**

- Ship steering systems
- Continuously operating industrial systems
- High pressure, high flow flushing systems

For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

### **CAD Drawings + Files**

### **Related Documents**



Parker Sales Company UK

psc.uk.webform@support.parker.com +44 (0)1926 317878

- + Company Information
- + Global Operations
- + Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2024

╇

ENGINEERING YOUR SUCCESS. SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS