

[Home](#)

[Products](#)

[Support](#)

[Industries](#) / [Products](#) / [Filters, Collecto...](#) / [Filter Assemblies...](#) / [Hydraulic Filters](#) / [High Pressure In-...](#) / 32PD220QVF1MG202

High Pressure In-Line Duplex Filter - 22PD-32PD Series

[Services](#)

[Solutions](#)

[Where to Buy](#)



The 22PD-32PD Series High Pressure Duplex Filters are specially designed to offer continuous operation, even during element change.

[View Series Page](#) [Share / Email](#) [Print](#)

Technical Specifications

Brand:	Parker	Technology:	Filtration, Hydraulics
Flow Rate:	0 to 260 l/min	Product Type:	Hydraulic Filter
Bypass Valve Pressure Rating:	No bypass	Options:	No Bypass
Division:	Hydraulic & Industrial Process Filtration Division	Indicator Type:	Electronic 4 LED, PNP, N.O.
Connection Type:	EMEA G1 1/4"	Product Series:	22PD-32PD
Industry:	Industrial Manufacturing Equipment Off-Road Transport	Indicator Pressure Setting:	5.0 bar
Application:	Hydraulic Filtration	Seal Material:	Fluoroelastomer
Filter Element Type:	20Q Microglass	For Fluid Type:	Mineral and vegetable oils and some synthetic oils
Micron Rating:	20 µm	Operating Pressure:	Up to 210 bar / 3045 psi
		Maximum Flow Rate:	210 L/min
		Seal Material:	Nitrile of Fluoroelastomer

[Safety Warning](#)

Item Information

The 22PD-32PD Series is a high pressure filter with a wide application capability. It is designed to offer continuous operation during element change.

The 22PD-32PD Series utilizes a duplex design with integrated balancing valve and vent ports. A changeover valve operates on the upstream side of the filter, ensuring continuous filtration and a contamination free system.

Glass fibre filtration media is applied as standard.

Product Features:


- 22PD-32PD utilizes a duplex design with integrated balancing valve and vent ports.
- Microglass III glass fibre media is standard.
- Maximum pressure 210 bar. Maximum flow 260 l/min.
- Designed to offer continuous operation during element change.

Typical Applications:

- Ship steering systems
- Continuously operating industrial systems



high flow flushing systems



For more information or a detailed discussion about your specific requirements please contact Parker or an authorised Parker distributor.

[Home](#)

CAD Drawings + Files



[Products](#)

[Support](#)

Related Documents



[Industries](#)

[Services](#)

[Solutions](#)



[Where to Buy](#)

Parker Sales Company UK

psc.uk.webform@support.parker.com

+44 (0)1926 317878

+ Company Information

+ Global Operations

+ Help & Support

+ Follow Us :

© PARKER HANNIFIN CORP 2024

ENGINEERING YOUR SUCCESS.

[SITE MAP](#) [SAFETY](#) [PRIVACY POLICIES](#) [TERMS AND CONDITIONS](#)





[Home](#)

[Products](#)

[Support](#)

[Industries](#)

[Services](#)

[Solutions](#)

[Where to Buy](#)

