







Home

**Products** 

Support

Industries oducts / Filters, Collecto... / Filter Assemblies... / Hydraulic Filters / Medium Pressure I... / 40CN105QEVE2GS164

# **SMEdium Pressure Inline Filters CN Series**

Solutions

Part #: 40CN105QEVE2GS164 Where to Buy







The CN Series is a compact, cost effective, medium pressure filter designed with coreless filtration technology. CN Series bowl features a permanently fixed core designed to reduce solid waste and minimize disposal costs with every element change out.

View Series Page **:** ■ View Catalog(s) **!** 

Share / Email 🕈 Print 🖶

## **Technical Specifications**

Flow Rate: 60 gpm (227 lpm)

Mounting Style: Inline
Filter Element Type: 05Q Microglass
Pressure Rating: 1000 psi (69 bar)
Seal Material: Fluorocarbon

Port Connection Type: SAE-16 straight threads

Specifications Met: n/a

Bypass Valve Pressure Rating: 25 psi (1.7 bar)

Port Type: SAE-16 straight threads

Options: Drain port

**⚠** Safety Warning

Indicator Type: Electrical/Visual (DIN43650 Hirschman style connection)

Housing Material: Aluminum
Indicator Pressure Setting: 25 psi (1.7 bar)

For Fluid Type: Mineral, Petroleum and Polyalphaolefin (PAO)

Maximum Operating based fluids

Temperature:

Weight:
Compatible Element:
Product Style:
Product Type:

225 F (107 C)
4.5 lbs (2.0 kg)
936707Q
Hydraulic Filter
Hydraulic Filter

### **Item Information**

Compressor Lube Oil
Off-line Filter Loops
Machine Tools (Automotive Standard)
Hydrostatic Drive Charge Pumps
Mobile Equipment
Pilot Lines for Servo Controls
Oil Patch Drilling Equipment
Injection Molding

This partial list of applications for Parker CN series filters has a common factor, the need for an economical, medium pressure range filter with excellent fatigue pressure ratings. Prior to the availability of the CN filter, applications such as those listed were restricted by limitations of a spinon can, or forced into the higher cost range of high pressure filters.





ន្ត្រាម្នាក់ 800 psi fatigue rating (eight times that of a spin-on)

Products

Dust Seal

Support Standard Microglass elements

Complete performance data disclosure

Industries lectrical or electrical/visual indicators available

#### Services ges

· Ability to provide reliable service under tough cyclic operating conditions

Solutions utilized in applications where high pressure filters may have been only option

Proven reliability in cyclic applications

#### Where to But portance of bowl torque

- Prevents contamination from building up on bowl / head threads
- · Low profile, lightweight and durable
- · Multi-layered design produced high capacity and efficiency
- · Reduces pleat bunching, keeps performance consistent
- · All pertinent information is provided in an easy-to-compare format
- · Check element condition at a glance
- · Right style for the application

- · Reduced downtime due to premature filter failures
- · Reduced costs, better "fit" for the application
- · No downtime, no leaks
- · Performs with "real world" service
- · Easier service, no galling
- · Less weight, smaller envelop and cleaner appearance
- · Great performance value
- · Reliable performance throughout element life
- · Reduces downtime, maximizes element life
- · No hidden deficiencies
- · Easy selection of proper filtration
- · Optimize element life, prevent bypassing
- · Matches your system electrical connections

## CAD Drawings + Files



### **Related Documents**





**Parker Sales Company UK** 

psc.uk.webform@support.parker.com <u>+44 (0)1926 317878</u>

+ Company	Information
-----------	-------------

+ Global Operations

+ Help & Support

+ Follow Us:

© PARKER HANNIFIN CORP 2024

**ENGINEERING YOUR SUCCESS.** 

SITE MAP SAFETY PRIVACY POLICIES TERMS AND CONDITIONS





<u>Home</u>

**Products** 

<u>Support</u>

**Industries** 

<u>Services</u>

**Solutions** 

Where to Buy